Chinnan, N.K., 200 Chinnock, B., 934 Chiu, T.-F., 108, 437, 722, 774, Chiu, Y.-H., 253 Chmielewski, L., 1015 Chong, C.-F., 226, 237, 250, 406, 488, 860, 864, 1004 Christos, S., 1019 Chu, H.-C., 662 Chu, S.-J., 722 Chudnofsky, C.R., 340 Chung, H.S., 984 Chung, S., 249 Chung, S.P., 246, 984, 986 Claessens, Y.-E., 987 Clark, L., 116 Clarkson, F.A., 244 Cocciolo, F., 728 Cochrane, D.G., 535, 651 Coll-Vinent, B., 865 Colwell, C.B., 297 Combes, X., 385, 586 Corbella, X., 486 Cordell, W.H., 918 Corrigan, K.J., 1085 Coskun, A.K., 862 Costa, I., 620 Costantino, G., 983 Cotant, C.L., 92 Counselman, F.L., 221, 313 Crandall, C.S., 616 Crijns, H.J., 1078 Crockett, A., 1087 Crombé, C., 196 Crounse, L., 996 Cruz Santana, A.N., 1083 Crystal, C.S., 482

Dabreteau, A., 987 Dagorn, J., 210 Dahle, J.M., 105 Dailey, M.W., 215, 985, 1082 Dan. E., 738 Dassen, W., 1078 Datner, E.M., 1047 David, M., 863 Dawes, D.M., 780 de Carvalho, A.L., 1083 De Jonghe, B., 210 de Krom, M.C., 1078 de Lange-de Klerk, E.S., 144 De Leva. R., 335 De Miguel-Yanes, J.M., 515 De Simone, C., 1086 de Zwaan, C., 1078 Dean, A.J., 894 Delaney, K., 612 DeLashaw, M., 313 Delerme, S., 637 Delfini, R., 198 Delk, C., 672

Delugeau, V., 1086

Cuevas, S., 735

Curry, S.C., 931

Cutler, K.O., 654

Cunha-Ribeiro, L.M., 620

Deming, D.A., 734 Denny, F.J., 185 Der Sahakian, G., 987 Derksen, R.J., 144 Derr, C., 96 Descatha, A., 588 Dewitz, A., 80 Dhainaut, J.-F., 987 Di Marco, J.-N., 863 Di Somma, S., 335 Diaz, M., 907 Diaz, M.C.G., 99 Dillard, E., 823 D'Incognito, C., 57 Divani, A.A., 32 Dodd, L., 1087 Doezema, D., 616 Dohrenwend, P.B., 651 Dolveck, F., 385, 588 Domínguez-Rodríguez, A., 723 Dominici, P., 340 Döner, E., 219 Dosanjh, A., 476 Dovgalyuk, J., 688 Drexler, A., 279 Dubourg, O., 588 Duffort-Falcó, M., 515 Duncan, C.E., 918 Durmus, I., 737

Edlow, J.A., 608, 749 Eggers, G., 559 Egipto, P., 620 Eikemans, B.J., 1078 Eken, C., 487, 589, 852 El Massri, N., 852 Elatrous, S., 414 Elmrini, A., 733 Emilio Salvi, A., 590 Engdahl, J., 1025 Er, T.-K., 859 Erdur, B., 232 Eroglu, O., 737, 770 Ersel, M., 120, 242 Erwin, E.A., 221 Eskin, B., 535 Espinosa, J., 95 Esposito, T.J., 823 Everett, W.W., 894 Exadaktylos, A.K., 702 Eygi, B., 242 Ezzeddine, M.A., 32

Durukan, P., 391

Dyer, D.S., 1040

Faergeman, O., 23 Famularo, G., 1086 Fan, J.-S., 114, 1009 Fang, F.-M., 1051 Fangio, P., 210 Farahnak, M., 850 Farokhi, F., 235, 831 Fengler, B.T., 576 Ferraro, R., 858 Ferre, R.M., 291 Ferri, E., 335 Fiesseler, F.W., 651

Filipiak, K.J., 65, 170 Fiorani, B., 198 Fletcher, D., 588 Floch, Y., 529 Foldspang, A., 23 Follath, F., 174 Fontane, E., 726 Forte, P., 335 Fosnocht, D.E., 791 Francis, J.L., 279 Freeman, K., 80 Frey, N., 101 Friedberg, R.P., 749 Frühwald, P., 1057 Fujimori, K., 848 Fukuda, D., 256 Funovits, V., 887

Gabriel, L., 243 Gackowski, A., 852 Gaetz, A., 743 Gaieski, D.F., 268 Galinski, M., 385, 529 Gallerani, M., 728 Gamberini, S., 737, 1082 Gambhir, S., 122 Gamelli, R.L., 823 García, C.R.-I., 723 García-González, M.J., 723 Gardner, R.L., 643 Garg, R., 873 Garner, D., 911 Gaufberg, S.V., 379 Gavin, P.J., 225 Gebretsadik, T., 425 Geddes, L.A., 786 Gelberg, J., 1025 Geninatti, M., 202 Gentiloni, N., 335 Gerlach, L.B., 1047 Germann, C.A., 834 Gev. F. 196 Ghaly, R.F., 106 Giannopoulos, S., 982 Gibbons, W.P., 106 Gilmore B. 654 Givens, M.L., 612 Go, A.S., 996 Godambe, S.A., 654 Goddet, N.S., 588 Gokce, M., 737 Goldman, R.D., 400 Gómez-Angelats, E., 865 Gonzales, R., 631, 643 González-Castro, A., 730 Gorouhi, F., 850 Grabowski, M., 65. 170 Gracias, V.H., 894 Graeme, K.A., 931 Graham, R.J., 98 Green, R., 799 Greenberg, K., 95 Grinberg, D., 45 Grossman, M., 735 Gümüş, H., 87 Gunduz, A., 737, 770 Gupta, D., 129

Gurjar, M., 122 Gushimiyagi, M., 152 Guyomarc'h, S., 880

Haarman, H.J., 144

Haber, M.D., 753 Habi, S., 733 Hager, H., 887 Haguiga, H., 414 Haig, A., 464 Hall, J., 704 Halpern, E., 450 Hamadouche, M., 502 Hamzavi, S., 834 Hancock, J.A., 185 Hanson, J.A., 1040 Hareyama, M., 848 Hargrove, R., 1087 Harrison, B.P., 725 Hart, R.G., 704 Hartert, T.V., 425 Hashiguchi, M., 152 Hatem, K., 845 Haugh, D., 15 Haukoos, J.S., 285, 297 Hauter, W.H., 918 Havashi, T., 989 He, T., 509, 623, 1032 Heard, K., 285, 1040 Heilbron, E.A., 144 Hellermann, J.P., 174 Herbland, A., 196 Herkner, H., 545 Herlitz, J., 1025 Herold, T., 197 Higgins, S., 425 Hill, R.J., 985 Hillemacher, T., 239 Ho, J.D., 780 Ho. P.M., 996 Hoekstra, J., 1063 Hoerauf, K., 887 Hoffman, R.S., 735 Hollander, J.E., 39, 268, 353, 523, 925, 1015, 1025, 1047 Holmberg, S., 1025 Holstege, C., 688 Holstege, C.P., 672 Holzer, M., 420, 545 Hong, C., 158 Hopfner, W., 1057 Horan, A., 894 Hos, G., 737 Houdijk, W.P., 255 House, H.R., 263 How, C.-K., 114, 253 Hrynkiewicz, A., 65, 170 Hsia, S.-H., 118 Hsiao, C.-T., 774 Hsieh, A., 1085 Hsieh, C.-C., 318 Hsieh, C.-T., 69 Hsieh, M.-J., 1051 Hsieh, T.-Y., 662 Hsiu-Hsi Chen, T., 597 Hsu, C.T., 99 Hsu, C.-Y., 318

Hsu, J., 127 Hsueh, P.-R., 494 Huang, C.-C., 164, 430, 736 Huang, C.-H., 49, 318, 736 Huang, C.-I., 114, 164, 253, 1009 Huang, H.-H., 164 Huang, M.-K., 251 Huang, S.-P., 49, 273 Huang, T.-Y., 226 Huei-Ming Ma, M., 318 Hui-Min, G., 597 Hundley, S., 313 Hung, M.-S., 774 Hung, S.-W., 860 Hursting, M.J., 279 Hurtado, T.R., 244 Hussein, H.M., 32 Hustey, F.M., 133, 804 Hwang, S.O., 846

Ide, T., 483 Ilhan, N., 391 Imaizumi, S., 989 Incasa, E., 737, 1082 Iserson, K.V., 105

Jabre, P., 529, 586 Jacobs, I., 464 Jaffrelot, M., 529 Jalali, A., 850 Janata, A., 420 Jendrin, J., 529 Jesse, R.L., 873 Jiménez, S., 865 Johnson, M.A., 780 Jones, R., 838 Jong, Y.-J., 859 Joseph, T., 588 Ju, D.-T., 69 Juan, A., 486 Juan, C.-W., 1083 Jwayyed, S., 331

Kahn, C.A., 185, 307 Kameyama, M., 989 Kamii, H., 989 Kamijo, Y., 483 Kaneko, N., 217 Kang, B.S., 223 Kang, G., 858 Kantarci, M., 211 Kao, P.-C., 127 Kao, T.-L., 1083 Kao, W.-F., 164, 1009 Kapickis, M., 1084 Karahan, S.C., 770 Karakükçü, M., 87 Karasen, R.M., 211 Karpiński, G., 65, 170 Kathryn Duncan, M., 279 Kaufman, M.W., 225 Kavalci, C., 391 Kelly, B.S., 72 Kemeny, A., 786 Kilicaslan, İ., 487 Kim, G., 158

Kim, S., 249

Kim, T.M., 846 Kirmani, J.F., 32 Kivan, S., 120, 138, 242 Ko, S.-F., 430, 1051 Ko, S.-Y., 251 Kober, A., 887 Kocheril, A.G., 235. 859 Kochman, J., 170 Koenig, K.L., 185 Kogan, A., 1 Koito, K., 848 Köklü, E., 87 Kolkebeck, T.E., 92 Konduracka, E., 852 Konstantopoulos, W.M., 158 Kontos, M.C., 873 Kordick, M.F., 1019 Kornhuber, J., 239 Kowalzyk, D.R., 1085 Kozak, O., 862 Krasuski, R.A., 92 Kraus, T., 239 Ku, B.S., 894 Kuan, J.-T., 437 Kucewicz, A., 862 Kue, R., 228 Kuhns, D.W., 222 Kumandaş, S., 87 Kumar, S., 122 Kung, C.-T., 430, 1051 Kuo, C.-D., 406

Kuo, H.-Y., 984

Kuru, O., 232

Kutz, J.E., 1084

Kwon, O., 249

Kyritsis, A.P., 982

Kurimoto, Y., 848

Lachérade, J.-C., 210 Lagier, P., 863 Lagos, G., 982 Lagron, P., 588 Lai, Y.-C., 861 Lainscak, M., 110 Lakhal Salah, B., 845 Lakshminarayanan, B., 859 Landen, S., 1086 Landini, G., 727 Lang, T., 887 Lapostolle, F., 385, 529 Larsen, M.L., 23 Latacz, P., 852 Le Lievre, P., 911 Le Manach, Y., 637 Lebrun, J., 196 Lecoules, N., 502 Lee, C.C., 488, 846 Lee, C.-C., 597, 736 Lee, C.-H., 164, 863, 1009 Lee, C.-T., 49, 273 Lee, H.S., 984, 986 Lee, K., 249 Lee, K.-W., 988 Lee, S.-C., 662 Lee, T.-C., 273 Lefebvre, C., 1063

Leleu, J.M., 733

Lerner, E.B., 326 Lester, J., 1019 Letaief, M., 414 Levine, R.L., 279 Levsky, M.E., 199 Lewis, L.M., 794 Li, C.-H., 858 Li, S.F., 45 Li, Y., 983 Liao, S.-C., 437 Lien, W.-C., 126 Lim, K.E., 863 Lim. S.H., 459, 572 Limkakeng, A.T., 450 Limoges, V., 385 Lin, A.C.-M., 1004 Lin, C.-C., 861 Lin, C.-M., 488 Lin, H.-H., 662 Lin, H.-J., 90 Lin, H.-Y., 237 Lin, I.-Y., 488, 1004 Lin, J.-J., 118 Lin, J.-T., 49, 273 Lin, K.-L., 118 Lin, L.-J., 861 Lin, L.-W., 860 Lin, W.-P., 988 Lin, Y.-M., 226 Lindsay, M.B., 53, 345 Litkey, J., 215 Littmann, L., 584 Liu, B.-M., 430, 1051 Liu, C.-F., 430 Liu, K.-L., 126 Liu, P.-P., 1051 Liu, T.-M., 90 Liu, T.-W., 509, 623, 1032 Llanwarne, N., 1086 Lo, H.-C., 164 Lo, H.-Y., 437 Lockey, D., 529 López, B., 865 Losert, U.M., 420 Lottes, A., 786 LoVecchio, F., 57, 442, 855, 856, 931 Lovett, B., 735 Lowe, S., 313 Lu, J.J., 378 Luchette, F.A., 823 Lundin, E.J., 780 Lvovschi, V., 637 Lyon, M., 396, 591 Lyons, E.E., 996 Maatougui, K., 733

Maatougui, K., 733
Mace, S.E., 762
MacLeod, S.L., 96
Magid, D.J., 996
Magrini, L., 335
Mahadevan, S.V., 559
Malek, Ł.A., 170
Manfredini, R., 728, 737, 1082
Margenet, A., 586
Margutti, G., 737
Marik, P.E., 376

Marill, K., 10 Marinaro, J., 616, 733 Marinella, M.A., 89 Marino, R., 335 Marjollet, O., 880 Mark, D.G., 894 Martin, C., 863 Martin, M.L., 15 Martin-Gill, C., 15 Martins, H.S., 1083 Marty, J., 586 Maselli, J., 631 Maselli, J.H., 643 Masneri, D.A., 197 Masotti, L., 727 Masoudi, F.A., 996 Mattu, A., 72, 688, 960 Mazzone, M., 335 McArthur, T., 482 McCabe, C.J., 708 McColgan, B.P., 864 McConahay, T., 739 McCubbin, T., 285 McGee, M.P., 735 McGillicuddy, D., 608 McGillicuddy, D.C., 749 McGrail, M., 911 McKay, R., 489 McLean, A., 911 McMullan, J., 812 McVaney, K.E., 297 Mégarbane, B., 551 Mehdaoui, H., 196 Mentes, O., 862 Mentese, A., 770 Metlay, J.P., 631 Meyer, F.J., 101 Meyer, T.D., 445 Michael, G.E., 901 Michel, F., 863 Miller, J., 804 Miller, M.A., 197, 199, 482, 725, 862 Mills, A.M., 268, 925 Miñambres, E., 730 Miner, J.R., 60, 743, 780 Ming-Fang Yen, A., 597

Ming-Fang Yen, A., 597
Minisola, G., 1086
Minton, P.A., 425
Miró, Ö., 865
Mo, S.-R., 509, 623, 1032
Monroe, M.H., 584
Montano, N., 983
Moore, J., 60
Morishita, K., 152
Moscati, R.M., 326
Mountain, D., 464
Moutran, H., 1084
Moy, R.K., 213
Mukherjee, R., 174
Muñoz, J., 515
Mycyk, M.B., 378

Nara, S., 848 Narimatsu, E., 481, 848 Narula, G., 122 Nasar, A., 32

Nathanson, L.A., 749 Naviaux, N.W., 285 Nciri, N., 414 Nentwich, L., 158 Nerenberg, R.H., 39 Ng, C.-J., 437 Ng, S.-H., 430, 1051 Nguyen, H.B., 564 Nicaise, C., 863 Nicotra, G.C., 1086 Nielsen, K.M., 23 Nishijima, D., 734 Niu. K.-C., 90 Nolt, B.R., 631 Nordenholz, K.E., 285, 1040 Norris, R., 559 Norton, J., 823

Nouira, S., 414

Nuhoglu, I., 770

O'Connor, B.J., 96 O'Connor, J.E., 53, 345 Ogul, H., 211 Ohigashi-Suzuki, S., 230 Ohley, W.J., 420 Ohman-Strickland, P., 535 Okada, Y., 217, 757 Okusanya, O., 894 Oman, J.A., 307 O'Meara, P., 911 Ong, J.-R., 250 Onuma, T., 989 Opolski, G., 65, 170 Oręziak, A., 65 Omato, J.P., 873 Ortega, M., 865 Ortíz-Melón, F., 730 Osterhoudt, K.C., 481 Otlewski, M., 786 Ots, E., 730 Outin, H., 210

Ouyang, H., 559

Overton, D., 985

Padgett, T.G., 996 Park, Y.S., 984 Parrillo, S.J., 340 Partouns, J., 1078 Pawelec, T., 852 Peacock, W.F., 353 Pearson, B.V., 222 Peery, B.N., 297 Pekdemir, M., 97, 391 Pelidou, H.-S., 982 Pemberton, L.B., 199 Pentier, C., 586 Per, H., 87 Pernat, A., 110 Perruche, F., 987 Petrella, R., 858 Pines, J.M., 258, 540 Pinto, R., 198 Pittoni, V., 335 Piwowarska, W., 852 Pizon, A., 57 Pizon, A.F., 442, 855 Plackett, T.P., 106

Plautz, C.U., 576 Pliakas, J., 158 Poddar, B., 122 Pommier, V., 385 Pons, P.T., 297 Price, D.D., 208, 472 Pugh, J.L., 326

Quan, D., 856 Queralt, C., 865 Quinn, J.V., 559 Qureshi, A.I., 32

Radeleff, B., 101 Rankin, T.J., 985 Rappaport, D., 99 Rassi, S., 1084 Rathore, A., 200 Ravaud, P., 502 Ray, P., 179, 485, 637 Reddi, A.S., 32 Reed, R.L., II, 823 Rehman, T.-U., 733 Renault, R., 637 Rennert, G., 1 Renzi, F., 228 Reynaert, M., 986 Richling, N., 545 Richter, C.J., 794 Rickard, C., 911 Riedmueller, E., 545 Rieux, D., 196 Riley, B., 57, 855 Riou, B., 179, 502, 637 Rizzioli, E., 1082 Robert, F., 880 Roberts, C.S., 873 Robey, J.L., 39, 268, 523, 925, 1015, 1047

Robinson, A., 331 Rochdil, N., 845 Roche-Nagle, G.M., 860 Rodgers, D.R., 248 Rodriguez, V.A., 535 Roeseler, J., 986 Roewer, N., 1057 Rogovik, A.L., 400 Roman, C.S., 102 Rosa, G., 198 Rosin, A., 102 Rostoff, P., 852 Rothman, J., 535 Rothmann, C., 502 Row, M.B., 207 Rudiger, A., 174 Rudkin, S.E., 307 Rudowski, R., 65, 170 Ruger, J.P., 794

Saadatmand, B., 104 Saito, Y., 230

Ruha, A.-M., 931

Rumsfeld, J.S., 996

Rundell, A., 786

Russi, C.S., 263

Ryan, R., 860

Ruiz Ginés, M.Á., 859

Sakamoto, T., 217, 757 Salazar, A., 486 Salazar, A.M., 213 Samama, C.M., 502 Sami, A., 57, 845 Sánchez, M., 865 Sandridge, L., 15 Sandrone, G., 983 Sarkar, U., 643 Savelli, S., 1082 Scalabrini-Neto, A., 1083 Scali, V., 95 Schafer, J., 612 Schaller, B.B., 702 Schanze, A., 239 Schauer, B., 208 Schechter, E., 735 Schermer, C.R., 823 Schlossmacher, P., 196 Schock, R.B., 420 Schratter, A., 420 Schreiber, W., 545 Schultz, C.H., 185 Schultz, E., 488 Schussler, J.M., 367 Seak, C.-J., 861 Sears, B.W., 823

Sears, B.W., 823
Sease, K.L., 268, 523, 925
Seckin, D., 391
Seow, V.-K., 250, 251, 488, 1004
Serhatlioglu, S., 391
Shabaan, A.I.M., 200
Shah, K.H., 608, 749
Shapira, R., 1
Shen, S.-T., 226
Shen, Y.-S., 984
Shepherd, J., 489, 858
Sherman, S.C., 104
Shetty, A., 1087
Shiber, J.R., 726

Shimada, K., 256 Shofer, F.S., 39, 268, 523, 925, 1015 Sidebottom, M., 15 Silfverstolpe, J., 1025 Silverman, M.E., 535 Sinert, R., 938 Singer, A.J., 666, 846 Sivrikoz, M.C., 219 Skipper, B., 907 Smail, N., 385 Smalling, R.W., 353 Smith, D., 564 Smith, E.R., 367 Smith, M.D., 133 Smith, S.W., 60 Smithline, H., 753 Smithline, H.A., 124 Soares-Oliveira, M., 620 Soghoian, S., 938

Sojka, B., 15 Soma, K., 483 Somers, M.P., 258 Song, F.-Q., 509, 623, 1032 Soroff, H.H., 666 Sorondo, B., 340 Sovari, A.A., 235, 831, 859 Spaans, I.M., 144

Spear, J., 608 Spencer, S.M., 986 Sporer, K.A., 901 Springer, S., 313 Srinivas, R., 844 Stajic, M., 735 Stark, J.J., 247 Stegeimeier, K., 285 Stein, G.H., 152 Stein, P., 98 Steinlechner, B., 887 Sterz, F., 420, 545 Stiffler, K.A., 331 Stolarz, P., 65, 170 Stone, M.B., 472 Su, C.-P., 127, 597 Su, W.-C., 49 Su, Y.-J., 861 Suberviola, B., 730 Sultani, D., 307 Sun, J.-M., 69 Suri M.F.K. 32 Svenson, J., 987 Svenson, J.E., 53, 345, 445, 977 Svensson, L., 1025 Swanson, E.R., 791 Sweeney, T.W., 291 Syed, M.I., 116

Szyld, D., 540

Szymański, F.M., 65, 170

Tabacco, F., 335 Tagliaferri, F., 728 Tahan, F., 87 Tai, C.-C., 126 Tai, C.-H., 984 Tai, C.-M., 49, 273 Takakuwa, K.M., 450 Takeyama, Y., 481 Talaei-Khoei, M., 850 Talucci, V., 335 Tamir, A., 1 Tampieri, M., 737, 1082 Tan, K.-H., 251 Tang, C.-T., 69 Tanno, K., 481 Tarabar, A., 735 Tatsuno, I., 230 Tatum, J.L., 873 Taylor, L., III, 584 Teeter, D.S., 185 Templier, F., 385, 588 Terville, J.-P., 210 Thames, M., 202 Thomachot, L., 863 Thomas, S.H., 158, 842 Thomson, R.B., Jr, 225 Thys, F., 986 Tieleman, R., 1078 Tieng, N., 45 Tilman, K., 313 Tindall, A., 1087 Tokuda, Y., 152 Tomassi, M.P., 985 Tomcsányi, J., 1077

Topbas, M., 770

Tricomi, A.J., 996 Trystram, D., 179 Tsai, L.-Y., 859 Tsai, M.-S., 318 Tsai, S.-H., 981 Tseng, W.-K., 494 Tu, C.-H., 273 Tufan, T., 862 Tulay, M.C., 219 Tung, C.-C., 988 Turan, I., 770 Turedi, S., 737, 770 Turina, J., 174 Turkcuer, I., 232

Ulke, E., 862

Valentino, R., 196 Valento, M., 812 Valkanas, M.A., 1082 van der Vlugt, T.M., 996 Vanpee, D., 243 Varol, I., 232 Varon, J., 376, 479, 949 Veenings, B., 144 Velasco, I.T., 1083 Venkat, A., 812 Vergne, M., 529 Verschuren, F., 986 Vialet, R., 863 Viallon, A., 179, 880 Villani, L., 727 Vinson, D.R., 996 Volpicelli, G., 981 W. Hendey, G., 934 Wagner, T.W., 247 Wágner, V., 1077 Wake, R., 256

W. Hendey, G., 934
Wagner, T.W., 247
Wagner, V., 1077
Wake, R., 256
Wald, R., 612
Walker, J.M., 279
Wallace, G., 199
Wallace, K.L., 931
Wallis, N., 804
Walta, M.J., 379
Wan, Y.-L., 1051
Wang, H., 983
Wang, H.-P., 49, 126, 273, 864
Wang, H.-S., 118
Wang, L.-M., 114, 164, 253,

Wang, R., 472 Wang, T.-L., 237, 250, 406, 488, 1004 Watring, N.J., 247 Watts, D., 735 Watts, S., 10 Weaver, C.S., 918 Weihs, W., 420

Wen, Y.-S., 736

1009

Wians, F., Jr, 612 Wiebe, D.J., 1047 Wiebe, R.A., 6 Wilber, S.T., 331 Wilcox, C.L., 263 Williamson, A., 15 Wilson, A.L., 225 Wilson, S.R., 208 Wisten, A., 1025 Wolf, S.J., 285 Workman, T.P., 379 Wu, C.-C., 494 Wu, C.-T., 118 Wu, K.-C., 90

Xie, L., 509, 623, 1032 Xu, T., 983

Wu, M.-S., 273

Wu, S.-C., 988

Wu, Y.-L., 218, 984

Wurmb, T.E., 1057

Yama, N., 848 Yamamoto, L.G., 348 Yanagawa, Y., 217, 757 Yang, C.-W., 318 Yang, K.-C., 494 Yang, M.-C., 863 Yanturali, S., 120, 138

Yao, C.-T., 984 Yarici, M., 862 Yeh, C.-T., 860 Yen, D.H.-T., 164, 1009 Yi, P., 988 Yildiz, M., 391 Yılmaz, S., 97 Yilmaz, S.E., 770 Yoder, A., 15 Yonas, H., 733 Yonatan, Y., 738 Yoneta, S., 848 Yoshikawa, J., 256 Yoshiyama, M., 256 You, J.S., 246, 984, 986 Young, L.L., 348 Youngblood, G.M., 901 Yu, C.-F., 860 Yu, C.-J., 494

Zangirolami, A., 737, 1082 Zehbtachi, S., 734, 938 Zeng, Z.-Y., 509, 623, 1032 Zeni, F., 880 Zieske, M., 1040 Zmudka, K., 852 Zogby, K.E., 1015, 1047

Yu, J.-S., 984

Yuan, A., 736

Yuan, Y.-D., 861



ELSEVIER

The American Journal of Emergency Medicine

www.elsevier.com/locate/ajem

INDEX TO VOLUME 25

Keywords

Abdominal compression, rhythmic, new CPR method using only, 786-790 Abdominal distention, pediatric, due to omental cyst, 99-101

Abdominal injury, blunt, complete transection of common iliac artery as a fatal complication of, 251-253

Abdominal pain

acute

bedside ultrasound in diagnosis of pneumoperitoneum in critically ill patients presenting with, 838-841

emergency physicians on use of resources to evaluate obese patients with, 925-930

discordance between serum Cr and CrCl for identification of ED patients with, at risk for contrast-induced nephropathy, 268-272

in presentation of acute renal infarction in ED, 164-169

Abdominal trauma, blunt, isolated jejunal perforation after, 862.e1-862.e4 Abducens nerve, isolated, palsy and pontine hemorrhage, 104-105

Abscesses, upper extremity, ultrasound-guided supraclavicular block for, 472-475

Absenteeism, sickness, association between influenza vaccination of health care workers in ED and, 808-811

Accessory muscle use, association with ${\rm FEV}_1$ in persons with asthma requiring hospital admissions, 425-429

Acetic acid, small amounts of, systemic manifestations after ingestion by a child of, 738.e1-738.e2

Achilles tendon, atraumatic avulsion of, as unusual presentation of injury, 1087.e1-1087.e2

Activated charcoal, multiple-dose, in CBZ poisoning (letter), 378, 485

Acupressure, at Baihui and Hegu points, in patients with radial fractures, prehospital analgesia with, 887-893

Acute abdominal pain. see Abdominal pain, acute

Acute appendicitis. see Appendicitis, acute

Acute clinical deterioration (ACD), acute epidural hematoma of posterior fossa as case of, 989-995

Acute coronary syndrome (ACS)

associated with atrial fibrillation among ED patients with chest pain syndrome, risk assessment for, 523-528

identification of low- and high-risk patients among unselected patients, 23-31

12-lead electrocardiogram in patient with, 1073-1076

non-ST-segment elevation, qualitative *versus* quantitative cardiac marker assay in prehospital evaluation of (letter), 588-589

prognostic implications of myocardial necrosis triad markers' concentration measured at admission in patients with, 65-68

Acute coronary syndrome (ACS) (continued)

SAH, and PE differences in the risk tolerance for disease exclusion according to published guidelines, 540-544

triage flowchart to rule out, 865-872

Acute emphysematous cholecystitis, with initial normal radiological evaluation, 488.e3-488.e5

Acute heart failure. see Heart failure, acute

Acute meningococcemia. see Meningococcemia, acute

Acute myocardial infarction. see Myocardial infarction, acute

Acute pulmonary embolism. see Pulmonary embolism, acute

Acute renal infarction. see Renal infarction, acute

Adrenal hemorrhage, isolated, after minor blunt trauma, 984.e5-984.e6 Adult

accuracy of estimation of weight of, performed by ED personnel, 307-312 with acute cough illness, vital-sign abnormalities as predictors of pneumonia in, 631-636

and children, relationship of air pollution to ED visits for asthma (letter), 852

Aeromedical transport, assessment of intracuff pressures in intubated patients before, in the ED and prehospital setting, 53-56

Afebrile streptococcal meningitis, fatal, in a chronic alcoholic patients, 106-108

Africanized honeybees, swarmings in children, 931-933

Age

characteristics of cardiac arrest and resuscitation by, 1025-1031 effect on patterns of incidence of gastroenteritis disease in the ED, 535-539

Agitation

as neuropsychiatric manifestations, in a patient with imidacloprid poisoning (letter), 844-845

and sedation, association of level of awareness and blood alcohol concentration with both, in intoxicated patients in the ED, 743-748

Air compressor injury, into orbit resulting to disseminated head and neck emphysema with pneumocephalus, 223-225

Air pollution, relation to $\bar{\text{ED}}$ visits for asthma in children and adults (letter), 852

Airway management

digital intubation as option in (letter), 726

laryngeal tube as an adjunct for, 263-267

Albumin, ischemia-modified, value in the diagnosis of pulmonary embolism, 770-773 Alcohol

blood levels, and level of awareness, association with both agitation and sedation of, in intoxicated patients in the ED, 743-748

toxic, ingestion of, management at tertiary care center after the introduction of fomepizole, 799-803

Alcoholism, chronic, fatal afebrile streptococcal meningitis in, 106-108

Alternating current (AC), transesophageal stimulation for VF induction in rats, 623-630

Alvarado clinical score

and antibiotic therapy versus conventional clinical management, as corporate protocol for acute appendicitis (letter), 850-852

CT scanning guidelines development based on, for patients with suspected and confirmed cases of appendicitis, 489-493

Alveolar-interstitial syndrome (AIS), bedside lung ultrasound in diagnosis of (letter), 724-725

Ambulance diversion, effects of RAP on ED length of stay and time spent on, 559-563

Amino-terminal pro-B-type natriuretic peptide (NTproBNP), in management of acute decompensated heart failure, potential role of sequential measurement of, 335-339

Amiodarone, intravenous loading of, acute toxic hepatitis after, 1082.e1-1082.e4

Analgesia

effectiveness of triage pain protocol in improving frequency and time to delivery of, for painful musculoskeletal injuries in the ED, 791-793

prehospital

with Baihui and Hegu acupressure points, in patients with radial fractures, 887-893

for children with extremity injuries, 400-405

fentanyl for, 842-843

intranasal fentanyl versus intravenous morphine for, 911-917

for isolated extreme injuries, women versus men on receiving, 901-906

Analgesics, narcotics, for pain management of clavicle fractures in very young and elderly patients, prescription of, 651-653

Anaphylactic shock, after laboratory rat bite, 985.e1-985.e2

Anaphylaxis, after application of topical bacitracin ointment to a fresh tattoo, 95-96

Anesthesia

nestnessia brainstem, ED treatment after retrobulbar block, 105-106 topical, sequential layered application of topical lidocaine with epinephrine for larger wound management, 379-384

Aneurysm

rebleeding, after lumbar puncture, 984.e1-984.e3 of splenic artery, encountered in ED, 430-436

Anger, as neuropsychiatric manifestations, in a patient with imidacloprid poisoning (letter), 844-845

Angioembolization, as an effective alternative for hemostasis in intractable life-threatening maxillofacial trauma hemorrhage, 988.e1-988.e5

Angiography, coronary, sixty-four-slice CT, for chest pain evaluation in the ED, 367-375

Ankle and foot injuries, treatment of, assessment of the ability of specialized emergency nurses in, 144-151

Antibiotic therapy, and Alvarado clinical score versus conventional clinical management, as corporate protocol for acute appendicitis (letter), 850-852

Antibodies, heparin-PF4, prevalence in patients presenting to the ED with thrombosis or chest pain, 279-284

Anticholinergic agent, toxicity, from ingestion of lupini beans, 215-217

Anticoagulants, for right atrium mobile thrombus in elderly, transthoracic echocardiograph on efficiency visualization of, 983.e3-983.e4

Antimicrobial-resistant Gram-negative bacteremia, predictive model of, in the ED, 597-607

Antispastic agent, infantile case of seizure induced by intoxication after accidental consumption of (letter), 481-482

Antithrombotic therapy, for prevention of stroke in clinical practice in the

Aortic dissection, image pitfall of CT in diagnosis of (letter), 127-129 Appendicitis

acute

Alvarado score and antibiotics therapy *versus* conventional clinical management, as corporate protocol for (letter), 850-852

clinical prediction rule to distinguish PID from, in women of childbearing age, 152-157

CT scanning guidelines development based on Alvarado clinical scores for patients with suspected and confirmed cases of, 489-493

Arteriopathy, dilatative, of internal carotid artery, severe headache caused by (erratum), 857

Arthritis, septic, sensitivity of synovial fluid WBC count in diagnosis of, 749-752

Arthrocentesis, hip, ultrasound-guided, in the ED, 80-86

Artifacts, ECG, frequency of electrode misplacement in different clinical settings, 174-178

Ascitic fluid, clear appearance of, in detection of spontaneous bacterial peritonitis, 934-937

Asphyxia, cardiac arrest, epinephrine improves survival rates in an adult rabbit model of, 509-514

Aspiration, pneumonitis, and Newton's law of gravitation, 987.e1-987.e2
Aspirin, for coronary artery disease, risk prediction score for identification
of silent myocardial ischemia in patients under, presenting with
upper gastrointestinal hemorrhage, 406-413

Asthma

clinical measures of severity of, associated with ${\sf FEV}_1$ in persons with asthma requiring hospital admissions, 425-429

ED visits in children and adults, relation to air pollution (letter), 852 near-fatal, rhabdomyolysis after successful resuscitation of a patient with, 736.e3-736.e4

use of LTCM for patients being discharged from the ED with, 476-478 Asymptomatic elevated blood pressure (AEBP), ability of emergency physicians to determine ED patients with, 313-317

Atrial fibrillation

among ED patients with chest pain syndrome, risk assessment for ACS associated with, 523-528

broad complex, intravenous procainamide for, 459-463

unstable, cardiogenic shock after cardioversion in thyrotoxic patients with (letter), 981

in the WPW syndrome, ECG recognition and treatment in the ED of, 576-583

Atrial flutter, with cardiac tamponade, as initial presentation of tuberculosis pericarditis, 108-110

Avulsion, atraumatic, of Achilles tendon, as unusual presentation of injury, 1087.e1-1087.e2

Awakening signs, after rapid-sequence intubation, prevention of, 529-534
Awareness, level of, and blood alcohol concentration, association of both
agitation and sedation with, in intoxicated patients in the ED,
742-748

Axillary artery, dissection due to blunt shoulder trauma, 242-243

Bacitracin, topical ointment, anaphylaxis after application to a fresh tattoo, 95-96

Bacteremia, antimicrobial-resistant Gram-negative, predictive model of, in the ED, 597-607

Bacterial peritonitis, spontaneous, clear appearance of ascitic fluid in detection of, 934-937

Baihui points, and Hegu acupressure points, as prehospital analgesia in patients with radial fractures, 887-893

Bark scorpions, venomous, in southwest United States and northern Mexico (letter), 856

Beers criteria, prevalence of inappropriate prescribing in older ED population based on, 804-807

Bee stings, multiple, spontaneous subarachnoid hemorrhage after intravenous epinephrine use for, 249-250

Bee swarmings, in children, 931-933

Beta-adrenergic channel blockers, poisoning, ECG abnormalities associated with, 672-687

Beta-2 agonist, in the treatment of status asthmaticus in pediatrics, 6-9 Bilevel positive airway pressure

prehospital noninvasive, support in a 101-year-old patient with severe cardiogenic pulmonary edema (letter), 586-588

in the treatment of status asthmaticus in pediatrics, 6-9

Biological marker, qualitative versus quantitative cardiac marker assay in prehospital evaluation of non-ST-segment elevation ACS (letter), 588-589

BiPAP. see Bilevel positive airway pressure

Bispectral index, assessment of association with 2 clinical sedation scales, 918-924

Bites and stings

of bee, multiple, spontaneous subarachnoid hemorrhage after intravenous epinephrine use for, 249-250

of laboratory rat, anaphylactic shock from, 985.e1-985.e2

of Latrodectus, uncommon cardiovascular manifestations after, 232-235

Blast injury, primary, traumatic brain injury from, 97-98

Blatchford score, versus clinical Rockall score versus complete Rockall score, to predict need for clinical intervention in patients with acute nonvariceal upper gastrointestinal bleeding, 774-779

Bleeding, gastric variceal, diaphragmatic embolism after endoscopic injection sclerotherapy for, 860.e5-860.e6

Blood pressure

asymptomatic elevated, ability of emergency physicians to determine ED patients with, 313-317

elevated, prevalence in adult patients with acute stroke presenting to the ED in the US, 32-38

elevated diastolic, prevalence of cocaine use in ED patients with, 612-615

labile, diagnosis and management during acute CVA and other hypertensive crises, 949-959

lower, associated with MI after emergency endoscopy for upper gastrointestinal bleeding in high-risk patients, 49-52

Blunt injury, abdominal, complete transection of common iliac artery as a fatal complication of, 251-253

Body mass index (BMI), various, spatial relationships of lumbar puncture landmarks in patients of, 331-334

Body position, supine versus semirecumbent versus upright, effect on interpretation of 12-lead ECG for ischemia and STEMI, 753-756

Body surface mapping (BSM), next-generation and user-friendly electro cardiographic, on early detection and diagnosis of acute MI, 1063-1072

Body temperature, low, accuracy of PiCCO monitoring in (letter), 845-846

Bone scintigraphy, with Technetium Tc 99m methylene diphosphonate, of rhabdomyolysis after near-drowning in cold seawater (letter), 848-850

Brachiocephalic veins, left, perforation of, CT features and treatment considerations for, 1051-1056

Brain injury

inflicted, versus shaken baby syndrome (letter), 1080 traumatic, due to primary blast injury, 97-98

Brainstem, anesthesia, ED treatment after retrobulbar block, 105-106

Brugada syndrome, 12-lead ECG in, 688-701 Burn, local, management in ED, 666-671

Calcium channel blockers, poisoning, ECG abnormalities associated with,

6/2-08/
Cancer, unrecognized, cardiac tamponade as unusual presentation of, 737.e5-737.e6

Carbamazepine (CBZ), poisoning, MDAC in (letter), 378, 485

Carbon monoxide poisoning, recurrent myelin basic protein elevation in cerebrospinal fluid as a predictive marker of delayed encephalopathy after (letter), 483-485

Cardiac arrest

by age group, characteristics of, 1025-1031

asphyxia, epinephrine improves survival rates in an adult rabbit model of, 509-514

glucocorticoids in (editorial), 376-377

induction of mild hypothermia using water-circulating cooling device after (letter), 730-732

out-of-hospital (see Out-of-hospital cardiac arrest (OHCA))

prehospital, effect of sodium bicarbonate on outcome of (letter), 589 refractory, and myocarditis, CPB and ECMO for acute-onset

dysrhythmia presenting with, 348-352

simpler model of, transesophageal AC stimulation for VF induction in rats, 623-630

VF, due to acute STEMI, effect of thrombolytic therapy versus primary PCI on outcome of patients after, 545-550

Cardiac defibrillation

external, during wet-surface cooling, 420-424

and therapeutic hypothermia, 479-480

Cardiac ischemia, inverted U wave as a specific electrocardiographic sign of, 235-237

Cardiac memory phenomenon, T wave inversion after conversion from atrial flutter to sinus rhythm due to, 831-833

Cardiac pacing, with epinephrine, on outcome improvement of CPR, 1032-1039

Cardiac tamponade

with atrial flutter, as initial presentation of tuberculosis pericarditis, 108-110

caused by leaking coronary saphenous vein graft aneurysm, 858.e1-858.e2

as unusual presentation of underlying unrecognized cancer, 737.e5-737.e6 Cardiac troponin I. see Troponin I, cardiac

Cardiogenic pulmonary edema, prehospital noninvasive bilevel positive airway pressure support in a 101-year-old patient with (letter), 586-588

Cardiogenic shock, after cardioversion, in thyrotoxic patients with unstable atrial fibrillation (letter), 981

Cardiomyopathy

hyperthyroid, or cardioversion, in an unrecognized thyrotoxicosis patient, acute right ventricular dysfunction after (letter), 723-724 hypertrophic

electrocardiographic manifestations and other important considerations for the emergency physician, 72-79 12-lead ECG in, 688-701

stress-induced, takotsubo left ventricular dysfunction, 243-244

associated with sepsis in type 2 diabetes mellitus, 230-232 diagnosis and treatment in ED patient, 202-207 mimicking ST-segment elevation myocardial infarction, 92-95

Cardiopulmonary bypass (CPB), for acute-onset dysrhythmia presenting

myocarditis and refractory cardiac arrest, 348-352
Cardiopulmonary resuscitation (CPR). see also Resuscitation cardiac pacing with epinephrine on outcome improvement of, 1032-1039

cardiac pacing with epinephrine on outcome improvement of, 1032-103 massive tissue emphysema after, 101-102 new method using only rhythmic abdominal compression, 786-790

new method using only rhythmic abdominal compression, 786-790 Cardiovascular collapse, importance of bedside echocardiography for

detection of isolated right ventricular infarction as a cause of, 110-114

Cardiovascular manifestations, uncommon, after Latrodectus bite, 232-235 Cardioversion

electrical, in thyrotoxic patients with unstable atrial fibrillation, cardiogenic shock after (letter), 981

or hyperthyroid cardiomyopathy, in an unrecognized thyrotoxicosis patient, acute right ventricular dysfunction after (letter), 723-724

Carotid artery, internal

severe headache caused by dilatative arteriopathy of (erratum), 857 traumatic pseudoaneurysm of, cause of life-threatening epistaxis, 116-118

Centuroides exilicauda, venomous scorpion in North America (letter), 856 Cerebral pyogenic ventriculitis, due to infective endocarditis, a rare ED diagnosis of, 120-122

Cerebrospinal fluid

accuracy of results to differentiate bacterial from non bacterial meningitis in case of negative gram-stained smear, 179-184

recurrent myelin basic protein elevation in, as a predictive marker of delayed encephalopathy after carbon monoxide poisoning (letter), 483-485

Cerebrovascular accident care regionalization, ischemic, and helicopter EMS, assessment of system improvements in, 158-163

Cerebrovascular accident (CVA), acute, diagnosis and management of labile BP during, 949-959

Cervical spine fractures, application of clinical criteria for ordering radiographs for detection of, 326-330

Chest injuries, diagnosed by chest radiograph, clinician versus statistical models for prediction of, 823-830

Chest pain

cocaine-associated, application of TIMI risk score in ED patients with,

impact of negative stress test on emergency physician disposition decision in ED patients with, 39-44

prevalence of heparin-PF4 antibodies in patients presenting to the ED with, 279-284

risk assessment for ACS associated with atrial fibrillation among ED patients with, 523-528

sixty-four-slice CT coronary angiography for evaluation of, 367-375 triage flowchart to rule out acs among patients with, 865-872

Chest radiography, clinician versus statistical models for prediction of chest injuries diagnosed by, 823-830

Chest trauma, blunt, extensive anterolateral MI caused by left main coronary artery dissection after, 858.e3-858.e5

Children. see Pediatrics

Chronic alcoholism, fatal afebrile streptococcal meningitis in, 106-108

Chronic obstructive pulmonary disease (COPD) acute exacerbation, emergency short-stay unit as an effective alternative

to in-hospital admission for (letter), 486-487 mortality-related factors after hospitalization for acute exacerbation of,

515-522 Circadian rhythms, influence on onset and outcomes of nontraumatic SAH

(letter), 728-730 Circulatory insufficiency, sign of, correlation with duration of

unconsciousness induced by psychotropic drug overdose, 757-761 Classification and regression tree analysis, *versus* clinician, for prediction of chest injuries diagnosed by chest radiograph, 823-830

Clavicle fractures, prescription of narcotic analgesics for management of pain from, in very young and elderly patients, 651-653

Clenbuterol, pulmonary edema and respiratory failure associated with exposure to, 735.e1-735.e3

Clinical guidelines, published, differences in the risk tolerance for ACS, SAH and PE disease exclusion according to, 540-544

Clinical Rockall score, versus Blatchford score, versus complete Rockall score, to predict need for clinical intervention in patients with acute nonvariceal upper gastrointestinal bleeding, 774-779

Clinician, versus statistical models, for prediction of chest injuries diagnosed by chest radiograph, 823-830

Cocaine

application of TIMI risk score in ED patients with chest pain associated with, 1015-1018

prevalence of use of, in ED patients with severe hypertension, 612-615 Cockcroft-Gault equation, and MDRD, for predicting patients at risk for contrast-induced nephropathy (letter), 487

Color analog scale, for quantification of improvement in pain scores in the pediatric ED, 739-742

Coma, prolonged, after eszopiclone overdose, 735.e5-735.e6

Community acquired pneumonia (CAP), vital-sign abnormalities as predictors of, in adults with acute cough illness, 631-636 Compartment syndrome, and laceration of popliteal artery, from stingray envenomation, 96-97

Complete Rockall score, versus clinical Rockall score, versus Blatchford score, to predict need for clinical intervention in patients with acute nonvariceal upper gastrointestinal bleeding, 774-779

Complication, fatal, of blunt abdominal injury, complete transection of common iliac artery, 251-253

Computed tomography (CT)

abdominal, frequency and cost of radiology self-referral in, 396-399 body scans, discrepancies in interpretation by radiology residents in ED, 45-48

head, as screening examination for facial fractures, 616-619 image pitfall of, in diagnosis of aortic dissection (letter), 127-129 multidetector

for acute myocardial infarction diagnosis, 114-116

and multiplanar reconstruction imaging, for giant wooden foreign body detection, 211-213

scanning guidelines development based on Alvarado clinical scores for patients with suspected and confirmed cases of appendicitis, 489-493

sixty four-slice, coronary angiography, for chest pain evaluation in the ED, 367-375

sixty-four-slice multidetector, for diagnosis of life-threatening illnesses in ED, 450-458

and treatment considerations, of left brachiocephalic vein perforation, 1051-1056

whole-body multislice, as primary and sole diagnostic tool for blunt trauma, 1057-1062

Conducted electrical weapons (CEWs), impact on mentally ill population, 780-785

Contrast media

nephropathy induced by

Cockcroft-Gault equation and MDRD for predicting patients at risk for (letter), 487

discordance between serum Cr and CrCl for identification of ED patients with abdominal pain at risk for, 268-272

Coronary angiography, sixty-four slice CT, for chest pain evaluation in the ED, 367-375

Coronary artery disease, risk prediction score for identification of silent myocardial ischemia in patients with, under aspirin therapy presenting with upper gastrointestinal hemorrhage, 406-413

Coronary artery dissection, left main, after blunt chest trauma, extensive anterolateral MI caused by, 858.e3-858.e5

Coronary artery occlusion, acute left main, ECG prediction of (letter), 852-855

Coronary perfusion, amount obtainable with only rhythmic abdominal compression and with standard chest-compression CPR versus coronary perfusion for normally beating heart, 786-790

Coronary saphenous vein graft aneurysm, leaking, cardiac tamponade caused by, 858.e1-858.e2

Costs, of radiology self-referral in abdominal CT scans, 396-399

Cough, acute, vital-sign abnormalities as predictors of pneumonia in adults with, 631-636

Creatine kinase-MB

concentration measured at admission, prognostic implications in ACS, 65-68

identification of false positive activity of, in a patient with nonketotic hyperglycemia, 859.e9-859.e10

Creatinine clearance (CrCl), discordance between serum Cr and, for identification of ED patients with abdominal pain at risk for contrast-induced nephropathy, 268-272

Creatinine (Cr), serum level of, discordance between CrCl and, for identification of ED patients with abdominal pain at risk for contrast-induced nephropathy, 268-272

Critical illness

bedside ultrasound in diagnosis of pneumoperitoneum in patients with, presenting with acute abdominal pain, 838-841 Critical illness (continued)

direct bedside transthoracic echocardiography as preferred cardiac window for LVEF estimation, 894-900

Cyanide, severe acute poisoning by ingestion or inhalation of, hydroxocobalamin for, 551-558

D-dimer enzyme linked immunosorbent assay

for exclusion of venous thromboembolism in the ED, patient-related factors in the use of (letter), 255-256

for exclusion of VTED in ED, patient-related factors in the use of (letter), 485-486

role in diagnosis of venous thromboembolism in elderly (letter), 727-728 Dead-on-arrival patient, PUBS in, 861.e5-861.e6

Death, and delayed clinical decompensation, after pediatric nifedipine overdose, 197-198

Decision making, of emergency physician, impact of a negative prior stress test among ED patients with chest pain syndromes on, 39-44

Decompression, transorbital ventricular, in acutely decompensated hydrocephalic ED patient, 208-210

Deep venous thrombosis (DVT)

considerations in diagnosis and therapy for, 860.e1-860.e4 in paradoxical embolism involving 4 organ systems, 737.e1-737.e3 sensitivity and specificity of VIDAS D-dimer test for diagnosis of, 464-471

Defibrillator, implantable cardioverter, care of patient with, in the ED, 812-822

Dental extraction, retrobulbar hemorrhage resulting from syncopal seizures after, 228-230

Depression, screen and intervention for older ED patients, 133-137

Desmopressin, overdosing, as a possible cause of recurrent hyponatremia, 239-240

Diabetes mellitus, type 2, Takotsubo cardiomyopathy associated with sepsis in, 230-232

Diagnosis. see also Diagnosis, differential

of deep venous thromboembolism and pulmonary embolism, sensitivity and specificity of VIDAS D-dimer test for, 464-471

delayed traumatic thoracic spinal epidural hematoma after compression fracture, 69-71

differential, ST-segment myocardial infarction versus Takotsubo cardiomyopathy, 92-95

of DVT, considerations in, 860.e1-860.e4

early, of HSE in ED, diffusion-weighted MRI for, 986.e5-986.e6 early and accurate, of gastric distention to avoid lethal complications,

of ectopic pregnancy, bedside transvaginal ultrasonography in the ED for, 591-596

intracranial injury in minor head trauma, role of serum tau protein in, 391-395

of life-threatening illnesses in ED, sixty-four-slice mutidetector CT for, 450-458

Lodox Statscan for visualization of VP shunts (erratum), 1081 ophthalmic, of optic neuritis in the ED, 834-837

of pulmonary embolism, value of IMA in, 770-773

radiologic, of patients who received imaging for venous thromboembolism despite negative D-dimer tests, 1040-1046

of septic arthritis, sensitivity of synovial fluid WBC count in, 749-752 of venous thromboembolism in the elderly, role of D-dimer enzyme linked immunosorbent assay in (letter), 727-728

of whole-body multislice CT, as primary and sole tool for blunt trauma, 1057-1062

Diagnosis, differential

bacterial versus non bacterial meningitis, with negative gram-stained smear of CSF, accuracy of results, 179-184

of HATWs, 859.e1-859.e8

Diaphragmatic embolism, after endoscopic injection sclerotherapy for gastric variceal bleeding, 860.e5-860.e6

Diastolic blood pressure, elevated, prevalence of cocaine use in ED patients with, 612-615

Dietary foreign bodies, in esophagus, emergency endoscopic management of, 662-665

Digital intubation, as option in airway management (letter), 726 Disaster

pediatric, needs assessment of DMATS regarding the challenge of, 762-769 proposed conceptual framework of surge capacity of healthcare facility during, 297-306

Disaster Medical Assistance Teams (DMATs), needs assessment of, regarding the challenge of pediatric disaster, 762-769

Dislocation

bilateral anterior shoulder, in a young and healthy man without obvious cause, 734.e1-734.e3

lateral patellar, with vertical axis rotation of 90°, 733.e1-733.e2 posterior knee, an irreducible case, 240-242

upper extremity, ultrasound-guided supraclavicular block for, 472-475 Dissection, axillary artery, due to blunt shoulder trauma, 242-243

Drug overdose

methadone, onset of symptoms after, 57-59

methadone, onset of symptoms after (letter), 855-856

psychotropic, correlation of factors on arrival with duration of unconsciousness induced by, 757-761

Dural sinus

thrombosis

isolated headache as sole manifestation of, 218-219 isolated headache as sole manifestation of (letter), 982

Dyspnea, impedance cardiography for differentiation of cardiac from noncardiac causes of, in ED, 437-441

Dysrhythmia, acute-onset, presenting myocarditis and refractory cardiac arrest, CPB and ECMO for, 348-352

Echocardiography

bedside, for detection of isolated right ventricular infarction as a cause of cardiovascular collapse, 110-114

transthoracic

direct bedside, as preferred cardiac window for LVEF estimation in critically ill patients, 894-900

visualization of anticoagulant therapy efficiency, for right atrium mobile thrombus in elderly, 983.e3-983.e4

Ectopic pregnancy

bedside transvaginal ultrasonography in the ED for diagnosis and management of, 591-596

ovarian, in second-trimester patient, 1085.e3-1085.e4 presenting as rectal pain, 221-222

Editorials, 376-377, 479-480

Elderly patients. see Geriatric patients

Electrical weapons, conducted, impact on mentally ill population, 780-785 Electrocardiography (ECG)

abnormalities in, associated with poisoning, 672-687

additional lead, and fibrinolysis of posterior and right ventricular acute myocardial infarction, internet-based survey on the use of (letter), 258-261

cases and electrocardiograms of HATWs, 859.e1-859.e8

double counting of heart rate by interpretation software of, as a sign of severe hyperkalemia (letter), 584-586

features and prognosis in patients with acute myocardial infarction related to diagonal or marginal branch occlusion, 170-173

frequency of electrode misplacement in different clinical settings, 174-178

interpretation software, double counting of heart rate by, in hyperkalemia (letter), 1077-1078

inverted U wave as specific sign of cardiac ischemia, 235-237

effect of body position, supine versus semirecumbent versus upright, on interpretation for ischemia and STEMI, 753-756 Electrocardiography (ECG) (continued)

impact on ED evaluation and management, 942-948

in patient with ACS, 1073-1076

in patient with syncope, 688-701

MI, without structural lesion in setting of acute hymenoptera envenomation, 1082.e5-1082.e8

and other important considerations in HCM for the emergency physician, 72-79

prediction of acute left main coronary artery occlusion (letter), 852-855 recognition and treatment in the ED of atrial fibrillation in WPW syndrome, 576-583

T wave inversion, due to cardiac memory phenomenon after conversion from atrial flutter to sinus rhythm, 831-833

Electrodes, ECG, frequency of misplacement in different clinical settings, 174-178

Emergency department (ED)

antithrombotic therapy for prevention of stroke in clinical practice in, 1-5 association between sickness absenteeism and influenza vaccination of health care workers in, 808-811

atrial fibrillation in WPW syndrome, ECG recognition and treatment in, 576-583

bedside transvaginal ultrasonography for diagnosis and management of ectopic pregnancy, 591-596

care of pacemaker and implantable cardioverter defibrillator patient, 812-822

cerebral pyogenic ventriculitis due to infective endocarditis, a rare diagnosis in, 120-122

cocaine use in patients with severe hypertension, 612-615

CPB and ECMO for acute-onset dysrhythmia presenting myocarditis and refractory cardiac arrest, 348-352

CT scanning guidelines based on Alvarado clinical scores for patients with suspected and confirmed cases of appendicitis, 489-493

depression screen and intervention for older patients, 133-137 diagnosis

of gastric volvulus in patient with bent nasogastric tube, 213-215 and treatment of Takotsubo cardiomyopathy, 202-207

diffusion-weighted MRI for early diagnosis of HSE, 986.e5-986.e6 discordance between serum Cr and CrCl for identification of ED patients with abdominal pain at risk for contrast-induced nephropathy, 268-272

discrepancies in interpretation of body computed tomographic scans by radiology residents in, 45-48

early diagnosis of gas-forming pyometra in an aged patient (letter), 126-127

effectiveness of triage pain protocol in improving frequency and time to delivery of analgesia for painful musculoskeletal injuries, 791-793

effects of RAP on length of stay in, and time spent on ambulance diversion, 559-563

elevated blood pressure in adults with acute stroke presenting to the, in the US, 32-38

emergency versus pediatric physicians on different patterns for managing febrile children in, 1004-1008

endoscopic management of dietary foreign bodies in the esophagus, 662-665

factors associated with longer lengths of stay in, 643-650

identifying high-risk patients for triage and resource allocation, 794-798 impact of 12-lead electrocardiogram on evaluation and management in, 942-948

impedance cardiography for differentiation of cardiac from noncardiac causes of dyspnea in, 437-441

inappropriate prescribing in older population based on Beers criteria, 804-807

incidence of occult upper gastrointestinal bleeding in patients presenting with hematochezia, 340-344

integration of nurse-physician teams at a mass gathering medical care event. 15-22

ketamine and opioids for procedural sedation and pain management (letter), 725-726

loupe magnification versus naked eye for wound visualization, 704-707 management of local burn wounds in, 666-671

McKittrick-Wheelock syndrome as cause of severe hydro-electrolyte disorders in, 1083.e1-1083.e3

morphine alone and in combination with ketamine for severe acute pain in, 385-390

nonnarcotic analgesics for acute exacerbations of chronic nonmalignant pain, 445-449

before and after OHP cutbacks (erratum), 857

ophthalmic diagnoses of optic neuritis, 834-837

outcomes of high-risk patients with nonvariceal upper gastrointestinal hemorrhage undergoing emergency versus urgent endoscopy, 273-278

outcomes of patients with presumed environmental hyperthermia, 442-444

patient-related factors

in the use of referent D-dimer enzyme linked immunosorbent assay, for exclusion of venous thromboembolism in (letter), 255-256

in the use of referent D-dimer enzyme linked immunosorbent assay, for exclusion of VTED in (letter), 485-486

patient sex and quality of care for MI patients in, 996-1003

patterns of incidence of gastroenteritis disease by season and age in, 535-539

pediatric, quantification of improvement in pain scale scores using color analog scale, 739-742

Penrose drain for entrapped ring removal from a finger (letter), 722-723 predictive model of antimicrobial-resistant Gram-negative bacteremia, 597-607

and prehospital setting, assessment of endotracheal intracuff pressures in intubated patients before aeromedical transport, 53-56

prescription of narcotic analgesics for pain management of clavicle fractures in very young and elderly patients, 651-653

presentations of acute renal infarction in, 164-169

prevalence of heparin-PF4 antibodies in patients presenting with thrombosis or chest pain, 279-284

PUBS in a dead-on-arrival patient, 861.e5-861.e6

relationship of air pollution to asthma in children and adults (letter), 852 reperfusion strategies in the emergency treatment of STEMI, 353-366 risk assessment for ACS associated with atrial fibrillation among ED

risk factors and prognostic predictors of unexpected ICU admission within 3 days after discharge in, 1009-1014

patients with chest pain syndrome, 523-528

risk factors associated with MRSA in patients admitted to, 880-886 short-stay unit in, as an effective alternative to in-hospital admission for acute COPD exacerbation (letter), 486-487

sixty-four-slice CT coronary angiography for evaluation of chest pain, 367-375

sixty-four-slice multidetector CT for diagnosis of life-threatening illnesses, 450-458

splenic artery aneurysms encountered in, 430-436

Stewart's strong ion difference as predictor of major injury after trauma in, 938-941

sumatriptan for the treatment of undifferentiated primary headaches, $\,\,60\text{-}64$

treatment of brainstem anesthesia after retrobulbar block, 105-106 triage flowchart to rule out ACS, 865-872

ultrasonography diagnosis of superior mesenteric artery syndrome, 864.e5-864.e6

ultrasound-guided

hip arthrocentesis, 80-86

supraclavicular block for upper extremity fractures, dislocations, and abscesses, 472-475

use of LTCM for asthmatic patients being discharged from, 476-478 Emergency medical services

current status in Korea (letter), 846-848

Emergency medical services (continued)

helicopter, and ischemic cerebrovascular accident care regionalization, assessment of system improvements in, 158-163

lack of correlation in welfare check distribution and transport patterns in rural critical care transport service, 345-347

medical emergency motorcycle in, 620-622

Emergency nurses, specialized, assessment of ability to treat ankle and foot injuries, 144-151

Emergency physicians

ability to determine ED patients with AEBP, 313-317

ability to obtain ultrasound images of landmarks relevant to lumbar puncture, 291-296

annotated "cardiac" literature-2006, 960-976

in critically ill patients, direct bedside transthoracic echocardiography as preferred cardiac window for LVEF estimation by, 894-900

on identification of terrorism syndromes, 1019-1024

impact of negative stress test on disposition decision of, in ED patients with chest pain syndrome, 39--44

manifestations and other important considerations in HCM for, 72-79 pediatric, sedation service for children during imaging staffed by, 654-661

on use of resources to evaluate obese patients with acute abdominal pain, 925-930

Emphysema

disseminated head and neck, with pneumocephalus, due to air compressor injury into orbit, 223-225 massive tissue, after CPR, 101-102

Emphysematous cholecystitis, acute, with initial normal radiological evaluation, 488.e3-488.e5

Encephalitis, herpes simplex virus, bilateral thalamic involvement and normal imaging of early stage of the unusual presentation of, 87-89

Encephalopathy, delayed, after carbon monoxide poisoning, recurrent myelin basic protein elevation in cerebrospinal fluid as a predictive marker of (letter), 483-485

Endocardial tumor, right ventricular, mimicking acute massive PE, 863.e3-863.e5

Endocarditis

infective, a rare ED diagnosis of cerebral pyogenic ventriculitis due to, 120-122

Listeria, spontaneous splenic rupture associated with, 1086.e3-1086.e5 Endoscopy

emergency

factors associated with MI after, for upper gastrointestinal bleeding in high-risk patients, 49-52

versus urgent, outcomes of high-risk ED patients with nonvariceal upper gastrointestinal hemorrhage undergoing, 273-278

for emergency management of dietary foreign bodies in the esophagus, 662-665

injection sclerotherapy, for gastric variceal bleeding, diaphragmatic embolism after, 860.e5-860.e6

Endotracheal tube cuff, assessment of pressure in intubated patients before aeromedical transport in the ED and prehospital setting, 53-56

End-stage renal disease, unilateral pulmonary edema related to (letter), 129-131

Envenomation, stingray, popliteal artery laceration and compartment syndrome from, 96-97

Enzyme linked immunosorbent assay

referent D-dimer

for exclusion of venous thromboembolism in the ED, patient-related factors in the use of (letter), 255-256

for exclusion of VTED in ED, patient-related factors in the use of (letter), 485-486

Eosinophilic pneumonia, associated with foot injury from sea urchin, 862.e5-862.e6

Eperisone hydrochloride, infantile case of seizure induced by intoxication after accidental consumption of (letter), 481-482

Epididymitis, idiopathic testicular infarction masquerading as, 736.e1-736.e2

Epidural blood patch, pneumocephalus secondary to, 244-246

Epidural hematoma, acute, of the posterior fossa, 989-995

Epigastric pain, in acute emphysematous cholecystitis, 488.e3-488.e5 Epinephrine

with cardiac pacing, on outcome improvement of CPR, 1032-1039 improves survival rates in an adult rabbit model of asphyxia cardiac arrest, 509-514

intravenous, for multiple bee stings, spontaneous subarachnoid hemorrhage after, 249-250

topical lidocaine with, for larger wound management, 379-384

Epistaxis, life-threatening, caused by traumatic pseudoaneurysm of the ICA, 116-118

Esophagus, emergency endoscopic management of dietary foreign bodies in, 662-665

Eszopiclone, overdose, prolonged coma after, 735.e5-735.e6

Ethylene glycol, ingestion of, management at tertiary care center after the introduction of fomepizole, 799-803

Exercise, marathon running, hypoelectrolytemia with acute renal failure in exertional heatstroke (erratum), 857

Extracorporeal membrane oxygenation (ECMO), for acute-onset dysrhythmia presenting myocarditis and refractory cardiac arrest, 348-352

Extremity, lower, nonsurgical isolated injuries of, incidence and risk factors for venous thromboembolism in patients with, 502-508

Extremity injury/trauma

isolated, women versus men on receiving prehospital analgesia for, 901-906

prehospital use of analgesics in children with, 400-405 upper, ultrasound-guided supraclavicular block for, 472-475

Face, fractures of, head CT for screening examination of, 616-619
Fatal afebrile streptococcal meningitis, in a chronic alcoholic patients,
106-108

Fat embolism syndrome, with multiple hypointensity signals, detected by head MRI demonstrate a favorable outcome, 217-218

Fentanyl

intranasal, versus intravenous morphine, for prehospital analgesia, 911-917

for prehospital analgesia, 842-843

Fibrinolysis, and additional lead electrocardiograms, of posterior and right ventricular acute myocardial infarction, internet-based survey on the use of (letter), 258-261

Finger, Penrose drain for entrapped ring removal from, under emergent conditions (letter), 722-723

Finger injuries, titanium alloy ring crush, 1084.e3-1084.e5

Flank pain, presentation of acute renal infarction in ED, 164-169

Fomepizole, management of toxic alcohol ingestion at tertiary care center after the introduction of, 799-803

Foot

and ankle injuries, treatment of, assessment of the ability of specialized emergency nurses in, 144-151

injury, from sea urchin, eosinophilic pneumonia associated with, 862.e5-862.e6

Forced expiratory volume in one-second (FEV₁), clinical measures associated with, in persons with asthma requiring hospital admission, 425-429

Foreign body

dietary, in esophagus, emergency endoscopic management of, 662-665

giant wooden, detection with multidetector CT and multiplanar reconstruction imaging, 211-213

periorbital penetrating wound complicated by, 198-199

Fracture

cervical spine, application of clinical criteria for ordering radiographs for detection of, 326-330

Fracture (continued)

of clavicle, prescription of narcotic analgesics for management of pain from, in very young and elderly patients, 651-653

facial, head CT for screening examination of, 616-619

radial, prehospital analgesia with Baihui and Hegu points in patients with, 887-893

upper extremity, ultrasound-guided supraclavicular block for, 472-475 Frequency, of radiology self-referral in abdominal CT scans, 396-399

Gastric distention, early and accurate diagnosis to avoid lethal complications, 207-208

Gastric outlet obstruction, in an infant, due to lactobezoar, 98-99 Gastric variceal bleeding, diaphragmatic embolism after endoscopic injection sclerotherapy for, 860.e5-860.e6

Gastric volvulus, diagnosis in ED patient with bent nasogastric tube,

Gastroenteritis, by season and age in the ED, patterns of incidence of, 535-539

Gastrointestinal bleeding

upper

acute nonvariceal, risk scoring system to predict need for clinical intervention in patients with, 774-779

nonvariceal, outcomes of high-risk ED patients with, undergoing emergency versus urgent endoscopy, 273-278

occult, incidence in patients presenting to the ED with hematochezia, 340-344

risk prediction score for identification of silent myocardial ischemia in patients with coronary artery disease under aspirin therapy presenting with, 406-413

Gastrothorax, acute postraumatic tension, mimicking acute tension pneu mothorax, 734.e5-734.e6

Geriatric patients

in ED, effect of depression screening on the care of, 133-137 prescription of narcotic analgesics for pain management of clavicle fractures, 651-653

prevalence of inappropriate prescribing in ED, 804-807 right atrium mobile thrombus in, transthoracic echocardiograph on visualization of anticoagulant therapy efficiency for, 983,e3-983,e4

role of D-dimer enzyme linked immunosorbent assay in diagnosis of venous thromboembolism in (letter), 727-728

with severe cardiogenic pulmonary edema, prehospital noninvasive bilevel positive airway pressure support in (letter), 586-588

88-year-old woman, metabolism study of severe hypothermia during rewarming, 986.e1-986.e3

Glasgow Coma Scale, correlation with duration of unconsciousness induced by psychotropic drug overdose, 757-761

Glomerular filtration rate (GFR), different calculation methods of, for predicting patients at risk for contrast-induced nephropathy (letter), 487

Glucocorticoids, in cardiac arrest (editorial), 376-377

Gluteal artery, inferior, traumatic pseudoaneurysm of, 488.e1-488.e3

Gram-negative bacteremia, antimicrobial-resistant, predictive model of, in the ED, 597-607

Gram's stain, negative, accuracy of CSF results to differentiate bacterial from non bacterial meningitis in case of, 179-184

Gravitation of the moon, effect on acute myocardial infarction (letter), 256-258

Headache

concordance of historical questions for risk stratifying patients with, 907-910

isolated, as sole manifestation of dural sinus thrombosis, 218-219 isolated, as sole manifestation of dural sinus thrombosis (letter), 982 severe

caused by dilatative arteriopathy of the internal carotid artery (erratum), 857

Headache (continued)

explosive, as sole presentation of acute myocardial infarction in a young man, 250-251

undifferentiated primary, ED treatment of sumatriptan for, 60-64

Head trauma, minor, role of serum tau protein in diagnosis of intracranial injury in, 391-395

Healthcare facility

a deliberate process for recommending personal protective equipment for staff of, 185-195

proposed conceptual framework of surge capacity of, 297-306

Health care provider

accuracy of adult weight estimation in ED, 307-312

in the ED, association between sickness absenteeism and influenza vaccination of, 808-811

Heart defects, associated with MI after emergency endoscopy for upper gastrointestinal bleeding in high-risk patients, 49-52

Heart failure, acute decompensated

potential role of sequential measurement of NTproBNP in management of, 335-339

thiamine for the treatment of (letter), 124-126

Heart failure acute, associated with venlafaxine poisoning, 210-211 Heart rate

double counting of, by ECG interpretation software, as ECG sign of severe hyperkalemia (letter), 584-586

in hyperkalemia, double counting of (letter), 1077-1078

Heatstroke, exertional, hypoelectrolytemia with acute renal failure in (erratum), 857

Hegu points, and Baihui acupressure points, as prehospital analgesia in patients with radial fractures, 887-893

Helicopter emergency medical services, and ischemic cerebrovascular accident care regionalization, assessment of system improvements in, 158-163

Hematochezia, incidence of occult upper gastrointestinal bleeding in patients presenting to the ED with, 340-344

Hemoglobin, level of, associated with MI after emergency endoscopy for upper gastrointestinal bleeding in high-risk patients, 49-52

Hemolysis, after ingestion of small amounts of acetic acid by a child, 738.e1-738.e2

Hemorrhage

adrenal, isolated, after minor blunt trauma, 984.e5-984.e6

brain stem, and isolated abducens nerve palsy, 104-105

maxillofacial, angioembolization as an effective alternative for hemostasis in intractable life-threatening trauma, 988.e1-988.e5

spontaneous intracranial, caused by sustained hypertension in a child, 118-120

spontaneous subarachnoid, after intravenous epinephrine use for multiple bee stings, 249-250

subarachnoid, concordance of historical questions for risk stratifying patients with, 907-910

Hemostasis, in intractable life-threatening maxillofacial trauma hemorrhage, angioembolization as an effective alternative for, 988.e1-988.e5

Heparin-platelet factor 4 (PF4) antibodies, prevalence in patients presenting to the ED with thrombosis or chest pain, 279-284

Hepatic artery, pulmonary, renal, and splenic artery involvement in paradoxical embolism, 737.e1-737.e3

Hepatic dysfunction, after ingestion of small amounts of acetic acid by a child, 738.e1-738.e2

Hepatitis, acute toxic, after amiodarone intravenous loading, 1082.e1-1082.e4

Herpes simplex encephalitis (HSE), in ED, diffusion-weighted MRI for early diagnosis of, 986.e5-986.e6

Herpes simplex virus encephalitis (HSE), bilateral thalamic involvement and normal imaging of early stage of the unusual presentation of,

Hiatal hernia, massive, masquerading as tension pneumothorax, 226-228 Hip, arthrocentesis, ultrasound-guided, in the ED, 80-86

Hospital admissions

clinical measures associated with FEV_1 in persons with asthma requiring, 425-429

emergency short-stay unit as an effective alternative to, for acute COPD exacerbation (letter), 486-487

unexpected, in ICU, within 3 days after ED discharge, risk factors and prognostic predictors of, 1009-1014

Hospitalization

mortality-related factors after, for acute exacerbation of COPD, 515-522 in scorpion envenomation, clinical score predicting the need for, 414-419

in scorpion envenomation, clinical score predicting the need for (letter), 856

Hydrocephalus, acutely decompensated, transorbital ventricular decompression in ED patient, 208-210

Hydrocortisone, effect on outcome of OHCA, 318-325

Hydrogen peroxide, accidental ingestion of, acute paraplegia from, 90-92 Hydronephrosis, during pregnancy (letter), 482-483

Hydroxocobalamin, for severe acute cyanide poisoning by ingestion or inhalation, 551-558

Hymenoptera envenomation, acute, electrocardiographic MI without structural lesion in setting of, 1082.e5-1082.e8

Hyperacute T waves (HATWs)

cases and electrocardiograms of, and its main differential diagnoses, 859.e1-859.e8

as early sign of acute MI, 859.e1-859.e8

Hyperbilirubinemia, link with positive urine nitrite test and positive urine culture, 10-14

Hyperglycemia, nonketotic, identification of false positive creatine kinase-MB activity in a patient with, 859.e9-859.e10

Hyperkalemia

double counting of heart rate in (letter), 1077-1078

severe, double counting of heart rate by ECG interpretation software, as a sign of severe hyperkalemia (letter), 584-586

Hypertension

diagnosis and management of labile BP during, 949-959 severe, prevalence of cocaine use in ED patients with, 612-615 sustained, cause of spontaneous intracranial hemorrhage in a child,

Hyperthermia, environmental, outcomes of patients who presented to ED with, 442-444

Hyperthyroid cardiomyopathy

or cardioversion, in an unrecognized thyrotoxicosis patient, acute right ventricular dysfunction after (letter), 723-724

Hypertrophic cardiomyopathy

electrocardiographic manifestations and other important considerations for the emergency physician, 72-79

12-lead ECG in, 688-701

Hypoelectrolytemia, with acute renal failure in exertional heatstroke (erratum), 857

Hyponatremia, recurrent, desmopressin overdosing as a possible cause of, 239-240

Hypothermia

mild, after cardiac arrest, water-circulating cooling device for induction of (letter), 730-732

for OHCA survivors (letter), 1078-1080

severe, during rewarming, metabolism study in an 88-year-old woman with, 986.e1-986.e3

therapeutic, and cardiac defibrillation (editorial), 479-480

Iliac artery, common, complete transection of, fatal complication of blunt abdominal injury, 251-253

Image pitfall, of CT in diagnosis of aortic dissection (letter), 127-129 Imaging, sedation service staffed by PEM physicians for children during,

Imidacloprid, poisoning, severe neuropsychiatric manifestations and rhabdomyolysis in patient with (letter), 844-845

Impedance cardiography, for differentiation of cardiac from noncardiac causes of dyspnea in ED, 437-441

Implantable cardioverter defibrillator, care of patient with, in the ED, 812-822

Incidence

of occult upper gastrointestinal bleeding in patients presenting to the ED with hematochezia, 340-344

of venous thromboembolism in patients with nonsurgical isolated lower limb injuries, 502-508

Infant. see Pediatrics

Infarction, isolated right ventricular, bedside echocardiography for detection of, as a cause of cardiovascular collapse, 110-114

Infective endocarditis, a rare ED diagnosis of cerebral pyogenic ventriculitis due to, 120-122

Inferior gluteal artery, traumatic pseudoaneurysm of, 488.e1-488.e3 Influenza vaccination, of health care workers in the ED, association between sickness absenteeism and, 808-811

Ingestion

accidental, of hydrogen peroxide, acute paraplegia from, 90-92 hydroxocobalamin for severe acute cyanide poisoning by, 551-558 of lupin beans, autocholinergic toxicity from, 215-217

of small amounts of acetic acid by a child, systemic manifestations after, 738.e1-738.e2

time from, to arrival, correlation with duration of unconsciousness induced by psychotropic drug overdose, 757-761

of toxic alcohol, management at tertiary care center after the introduction of fomepizole, 799-803

Inhalation, hydroxocobalamin for severe acute cyanide poisoning by, 551-558

Injection

endoscopic, sclerotherapy, for gastric variceal bleeding, diaphragmatic embolism after, 860.e5-860.e6

intra-articular, accidental, of PPV, pseudoseptic arthritis after, 864.e1-864.e3

Injury

atraumatic avulsion of Achilles tendon as unusual presentation of, 1087.e1-1087.e2

foot, from sea urchin, eosinophilic pneumonia associated with, 862.e5-862.e6

major, after trauma in ED, Stewart's strong ion difference as predictor of, 938-941

Intensive care unit (ICU), risk factors and prognostic predictors of unexpected admission within 3 days after ED discharge in, 1009-1014

Interaction, reduced, as neuropsychiatric manifestations, in a patient with imidacloprid poisoning (letter), 844-845

Internal carotid artery

severe headache caused by dilatative arteriopathy of (erratum), 857 traumatic pseudoaneurysm of, cause of life-threatening epistaxis, 116-118

Internet-based survey, on the use of additional lead electrocardiograms and fibrinolysis of posterior and right ventricular acute myocardial infarction (letter), 258-261

Interrater reliability, of risk assessment using screening tools for PE, 285-290

Intimate partner violence (IPV), screening of, effect of screener sex in, 1047-1050

Intoxication

after accidental consumption of eperisone hydrochloride, infantile case of seizure induced by (letter), 481-482

organophosphate, thyroid storm precipitated by, 861.e1-861.e3

Intra-aortic balloon counterpulsation, in refractory shock due to acute meningococcemia, 253-254

Intracranial hemorrhage, spontaneous, caused by sustained hypertension in a child, 118-120

Intracranial injury, in minor head trauma, role of serum tau protein in diagnosis of, 391-395

Intracranial penetration

of nail, periorbital penetrating wound complicated by, 198-199 of TASER dart, 733.e3-733.e4

Intravenous injection, of amiodarone, acute toxic hepatitis after, 1082.e1-1082.e4

Intubation

digital, as option in airway management (letter), 726 rapid sequence

masseter muscle rigidity associated with, 102-104 prevention of awakening signs after, 529-534

Ischemia, effect of body position, supine versus semirecumbent versus upright, on interpretation of 12-lead ECG for, 753-756

Ischemia-modified albumin (IMA), value in the diagnosis of pulmonary embolism, 770-773

Ischemic cerebrovascular accident care regionalization, and helicopter EMS, assessment of system improvements in, 158-163

Ischemic stroke, in a man with naphazoline abuse history, 983.e1-983.e2

Jehovah's Witnesses, use of Recombinant activated factor VII in, 1085 e1-1085 e2

Jejunal perforation, after blunt abdominal trauma, 862.e1-862.e4

Ketamine

morphine alone and in combination with, for severe acute pain in emergency setting, 385-390

and opioids, for procedural sedation and pain management in the ED (letter), 725-726

for prehospital use, 977-980

Kidney failure, acute, with hypoelectrolytemia in exertional heatstroke (erratum), 857

Korea, current status of the emergency medical system (letter), 846-848

Laceration, of popliteal artery and compartment syndrome from stingray envenomation, 96-97

Lactate dehydrogenase, elevated serum level of, presentation of acute renal infarction in ED, 164-169

Lactobezoar

in an infant, 98-99

cause of gastric outlet obstruction in an infant, 98-99

Laryngeal tube device, as an adjunct for airway management, 263-267 Laryngotracheal disruption, after blunt neck trauma, 1084.e1-1084.e2 Latrodectus, uncommon cardiovascular manifestations after bite from, 232-235

Lead electrocardiograms, additional, and fibrinolysis of posterior and right ventricular acute myocardial infarction, internet-based survey on the use of (letter), 258-261

Left ventricular ejection fraction (LVEF), in critically ill patients, direct bedside transthoracic echocardiography as preferred cardiac window for, 894-900

Leg, passive raising of, in spontaneously breathing volunteers induce variations in pulse oximetry plethysmographic waveform amplitude, 637-642

Length of stay

in ED, effects of RAP on time spent on ambulance diversion and, 559-563 longer, in ED, factors associated with, 643-650

Lidocaine, topical, with epinephrine for larger wound management, 379-384 Listeria, endocarditis, spontaneous splenic rupture associated with,

1086.e3-1086.e5

Lodox Statscan, for visualization of VP shunts (erratum), 1081

Long QT syndrome, 12-lead ECG in, 688-701

Long-term controller medications (LTCM), in asthmatic patients being discharged from ED, 476-478

Loupe magnification, versus naked eye, for visualization of wound in ED,

Lumbar puncture

ability of emergency physicians to obtain ultrasound images of landmarks relevant to, 291-296

Lumbar puncture (continued)

aneurysmal rebleeding after, 984.e1-984.e3

difficult or traumatic, visual and tactile inspection of the spine for prediction of, 608-611

spatial relationships of landmarks in patients of various BMI, 331-334 use of ultrasound to identify pertinent landmarks for, 331-334

Lung carcinoma, non-small-cell, spontaneous splenic rupture from pegfilgrastim to prevent neutropenia in a patient with, 247-248

Lung ultrasonography

hedside.

comet-tail artifact sign at (letter), 981-982

in diagnosis of AIS (letter), 724-725

Lupini beans, anticholinergic toxicity from ingestion of, 215-217

Magnetic resonance imaging (MRI)

of delayed traumatic thoracic spinal epidural hematoma, 69-71 diffusion-weighted, early diagnosis of HSE in ED, 986.e5-986.e6 of the head, fat embolism syndrome with multiple hypointensity signals detected by, demonstrate a favorable outcome, 217-218

Masseter muscle, succinylcholine-induced rigidity of, associated with rapid sequence intubation, 102-104

Mass screening, of facial fractures, head CT for, 616-619

Maxillofacial hemorrhage, angioembolization as an effective alternative for hemostasis in intractable life-threatening trauma, 988.e1-988.e5

May-Thurner syndrome, considerations in diagnosis and therapy for, 860.e1-860.e4

McKittrick-Wheelock syndrome, as cause of severe hydro-electrolyte disorders in ED, 1083.e1-1083.e3

Medicaid beneficiaries, and uninsured, changes in access to primary care (erratum), 857

Medical emergency motorcycle (MEM), in medical emergency system, 620-622

Medication error, in vaccination, 199-200

Meningitis

bacterial versus non bacterial, accuracy of results for differential diagnosis of, with negative gram-stained smear of CSF,

fatal afebrile streptococcal, in a chronic alcoholic patient, 106-108 Meningococcal septic shock, continuous low-dose infusion of terlipressin as rescue therapy in, 863.e1-863.e2

Meningococcemia, acute, intra-aortic balloon counterpulsation in refractory shock due to, 253-254

Mental illness, impact of CEWs on a population with, 780-785

time frame for onset of symptoms after overdose of, 57-59 time frame for onset of symptoms after overdose of (letter), 855-856

Methanol, ingestion of, management at tertiary care center after the introduction of fomepizole, 799-803

Methicillin-resistant Staphylococcus aureus (MRSA), in patients admitted to ED, risk factors associated with, 880-886

Micrographia, subcortical stroke presenting as, 89-90

Mitral regurgitation, right upper lobe pulmonary edema as a consequence of, 196-197

Modification of diet in renal disease (MDRD), and Cockcroft-Gault equation, for predicting patients at risk for contrast-induced nephropathy (letter), 487

Moon, gravitation of, effect on acute myocardial infarction (letter), 256-258 Morphine

alone and in combination with ketamine, for severe acute pain in emergency setting, 385-390

intravenous, versus intranasal fentanyl, for prehospital analgesia,

Mortality

factors related to, after hospitalization for acute exacerbation of COPD,

identification of risk factors of, among unselected patients with possible ACS, 23-31

Mortality (continued)

in-hospital, and complicated clinical course, elevated cardiac troponin I for prediction of acute PE, 138-143

in patients admitted for exclusion of MI, ability of myoglobin to predict, 873-879

short-term, in an oriental population with sepsis, effect of statins on, 494-501

Multiplanar reconstruction imaging, and multidetector CT for giant wooden foreign body detection, 211-213

Multiple-dose activated charcoal (MDAC), in CBZ poisoning (letter), 378, 485

Multiple hypointensity signals, detected by head MRI, fat embolism syndrome with, demonstrate a favorable outcome, 217-218

Muscle rigidity, masseter, succinylcholine-induced, associated with rapid sequence intubation, 102-104

Musculoskeletal injuries, effectiveness of triage pain protocol in improving frequency and time to delivery of analgesia for, 791-793

Myelin basic protein, recurrent elevation in cerebrospinal fluid as a predictive marker of delayed encephalopathy after carbon monoxide poisoning (letter), 483-485

Myocardial infarction (MI)

ability of myoglobin on mortality prediction in patients admitted for exclusion of, 873-879

acute

diagnosed by multidetector CT, 114-116

effect of gravitation of the moon on (letter), 256-258

electrocardiographic features and prognosis in patients with, related to diagonal or marginal branch occlusion, 170-173

HATWs as early sign of, 859.e1-859.e8

next-generation and user friendly electrocardiographic BSM on early detection and diagnosis of, 1063-1072

posterior and right ventricular, internet-based survey on the use of additional lead electrocardiograms and fibrinolysis of (letter), 258-261

in the setting of apparent pacemaker anomaly, ventricular pseudofusion, 248-249

severe explosive headache as sole presentation of, in a young man, 250-251

electrocardiographic, without structural lesion, in setting of acute hymenoptera envenomation, 1082.e5-1082.e8

extensive anterolateral, caused by left main coronary artery dissection after blunt chest trauma, 858.e3-858.e5

factors associated with, after emergency endoscopy or upper gastrointestinal bleeding in high-risk patients, 49-52

patient sex and quality of ED care for patients with, 996-1003 ST-segment elevation

acute, effect of thrombolytic therapy versus primary PCI on outcome of patients after VF cardiac arrest due to, 545-550

reperfusion strategies in the emergency treatment of, 353-366 Takotsubo cardiomyopathy mimicking, 92-95

Myocardial ischemia, silent, in patients with coronary artery disease under aspirin therapy presenting with upper gastrointestinal hemorrhage,

risk prediction score for identification of, 406-413 Myocardial necrosis triad markers, concentration of, measured at admission in patients with suspected ACS, prognostic implications of, 65-68

Myocarditis fulminant, venous oximetry in diagnosis and management of, 122-123 and refractory cardiac arrest, CPB and ECMO for acute-onset

dysrhythmia presenting with, 348-352

Myoglobin

concentration measured at admission, prognostic implications in ACS, 65-68

on prediction mortality in patients admitted for exclusion of MI, 873-879

Naloxone, for obtundation in toddler (letter), 481

Naphazoline, history of abuse of, ischemic stroke in an man with, 983.e1-983.e2

Narcotics, analgesic, for pain management of clavicle fractures in very young and elderly patients, prescription of, 651-653

Nasogastric tube, bent, diagnosis of gastric volvulus in ED patient with, 213-215

Natriuretic peptide, amino-terminal pro-B-type, in management of acute decompensated heart failure, potential role of sequential measurement of, 335-339

Near-drowning, in cold seawater, Technetium Tc 99m methylene diphosphonate bone scintigraphy of rhabdomyolysis due to (letter), 848-850

Needs assessment, of DMATs regarding the challenge of pediatric disaster, 762-769

Nephropathy, contrast-induced

Cockcroft-Gault equation and MDRD for predicting patients at risk for (letter), 487

discordance between serum Cr and CrCl for identification of ED patients with abdominal pain at risk for, 268-272

Neuritis, optic, ophthalmic diagnoses in the ED, 834-837

Neurologic disease, and vitamin B12 deficiency, 987.e3-987.e4

Neutropenia, spontaneous splenic rupture from pegfilgrastrim for prevention of, in patient with non-small-cell lung carcinoma, 247-248

Newton's law of gravitation, aspiration pneumonitis and, 987.e1-987.e2 Nifedipine, pediatric overdose, delayed clinical decompensation and death after, 197-198

Nonketotic hyperglycemia, identification of false positive creatine-MB activity in a patient with, 859.e9-859.e10

Nonnarcotic analgesics, for acute exacerbations of chronic nonmalignant pain, 445-449

Non-small-cell lung carcinoma, spontaneous splenic rupture from pegfil grastim to prevent neutropenia in a patient with, 247-248

Nursemaid's elbow, in a 31-year-old female, 222-223

Obesity, with acute abdominal pain, emergency physicians on use of resources to evaluate, 925-930

Obtundation, in toddler, naloxone for (letter), 481

Occlusion, of diagonal or marginal branch, electrocardiographic features and prognosis in patients with acute myocardial infarction related to, 170-173

Occupational exposure, unusual, tongue viability after snakebite as, $1083.e5\hbox{--}1083.e7$

Ointment, topical bacitracin, anaphylaxis after application to a fresh tattoo, $95\mbox{-}96$

Older patients. see Geriatric patients

Omental cyst, causing pediatric abdominal distention, 99-101

Ophthalmic diagnosis, of optic neuritis in the ED, 834-837

Opioids, and ketamine, for procedural sedation and pain management in the ED (letter), 725-726

Optic neuritis, ophthalmic diagnoses in the ED, 834-837

Orbit, air compressor injury into, disseminated head and neck emphysema with pneumocephalus from, 223-225

Oregon Health Plan (OHP), ED use before and after cutbacks (erratum), 857

Organophosphate intoxication, thyroid storm precipitated by, 861.e1-861.e3
Oriental population, with sepsis, effect of statins on short-term survival in,
494-501

Outcomes

of high-risk ED patients with nonvariceal upper gastrointestinal hemorrhage undergoing emergency versus urgent endoscopy, 273-278

of OHCA, effect of hydrocortisone on, 318-325

and onset, of nontraumatic SAH, influence of circadian rhythms on (letter), 728-730

of patients after VF cardiac arrest due to acute STEMI, effect of thrombolytic therapy versus primary PCI on, 545-550

of patients who presented to ED with presumed environmental hyperthermia, 442-444

of prehospital cardiac arrest, effect of sodium bicarbonate (letter), 589

Out-of-hospital Cardiac Arrest (OHCA)

effect of hydrocortisone on the outcome of, 318-325

hypothermia for survivors of (letter), 1078-1080

Overdose

of desmopressin, as a possible cause of recurrent hyponatremia, 239-240 eszopiclone, prolonged coma after, 735.e5-735.e6

of nifedipine, pediatric, delayed clinical decompensation and death after, 197-198

of psychotropic drugs, correlation of factors on arrival with duration of unconsciousness induced by, 757-761

Pacemaker

apparent anomaly of, acute myocardial infarction in the setting of,

care of patient with, in the ED, 812-822

Pain. see also specific type of site

chronic nonmalignant, nonnarcotic analgesics for acute exacerbations of, 445-449

from clavicle fractures, prescription of narcotic analgesics for management of, in very young and elderly patients, 651-653

management of, and procedural sedation in the ED, ketamine and opioids for (letter), 725-726

migratory, misleading the diagnosis of acute renal infarction, 237-239 severe acute, in emergency setting, morphine alone and in combination with ketamine for, 385-390

unremitting right flank, in hydronephrosis during pregnancy (letter), 482-483

Pain management, prehospital, using Baihui and Hegu acupressure points, in patients with radial fractures, 887-893

Pain scores, quantification of improvement in, using color analog scale in the pediatric ED, 739-742

Palsy, isolated abducens nerve, and pontine hemorrhage, 104-105

Paraplegia, acute, from an accidental ingestion of hydrogen peroxide, 90-92 Patellar dislocation, lateral, with vertical axis rotation of 90°, 733.e1-733.e2

Patent foramen ovale, in paradoxical embolism involving 4 organ systems, 737.e1-737.e3

Patient-related factors

in the use of referent D-dimer enzyme linked immunosorbent assay for exclusion of venous thromboembolism in the ED (letter), 255-256

in the use of referent D-dimer enzyme linked immunosorbent assay for exclusion of VTED in ED (letter), 485-486

Patient transport, lack of correlation in welfare check distribution and transport patterns in rural critical care transport service, 345-347

Peak expiratory flow rate, association with FEV_1 in persons with asthma requiring hospital admissions, 425-429

Pediatric emergency medicine (PEM), sedation service for children during imaging staffed by physicians of, 654-661

Pediatrics

and adults, relationship of air pollution to ED visits for asthma (letter), 852

bee swarmings in, 931-933

bilevel positive airway pressure in the treatment of status asthmaticus, 6-9

delayed clinical decompensation and death after nifedipine overdose, 197-198

disaster, needs assessment of DMATS regarding the challenge of, 762-769

febrile, in ED, emergency versus pediatric physicians on different patterns for management of, 1004-1008

gastric outlet obstruction due to lactobezoar, 98-99

infantile case of seizure induced by intoxication after accidental consumption of eperisone hydrochloride (letter), 481-482

massive stroke in a previously healthy 7-year-old, 985.e3-985.e5

naloxone for obtundation in toddler (letter), 481
prehospital use of analgesics in children with extremity injuries, 400-405
prescription of narcotic analgesics for pain management of clavicle
fractures, 651-653

quantification of improvement in pain scale scores using color analog scale in the ED, 739-742

sedation service during imaging staffed by PEM, 654-661

spontaneous intracranial hemorrhage caused by sustained hypertension, 118-120

tension pyopneumothorax, 200-201

unusual case of abdominal distention due to omental cyst, 99-101

Pegfilgrastrim, spontaneous splenic rupture from, for prevention of neutropenia in a patient with non-small-cell lung carcinoma, 247-248

Pelvic inflammatory disease (PID), clinical prediction rule to distinguish acute appendicitis from, in women of childbearing age, 152-157

Penrose drain, for entrapped ring removal from a finger under emergent conditions (letter), 722-723

Percutaneous coronary intervention, primary, versus thrombolytic therapy, effect on outcome of patients after VF cardiac arrest due to acute STEMI, 545-550

Pericarditis, tuberculosis, atrial flutter with cardiac tamponade as initial presentation of, 108-110

Periorbital penetrating wound, complicated by intracranial nail penetration, 198-199

Personal protective equipment, a deliberate process of recommendation for health care facility staff, 185-195

Physician-nurse teams, integration in a mass gathering medical care event, 15-22

Physicians

emergency versus pediatric, on different patterns for managing febrile children in ED, 1004-1008

PiCCO monitor, accuracy in low body temperature (letter), 845-846
Plethysmographic waveform amplitude, pulse oximetry, passive leg raising
in spontaneously breathing volunteers induce variations in,
637-642

Pneumocephalus

with disseminated head and neck emphysema, due to air compressor injury into orbit, 223-225

secondary to an epidural blood patch, 244-246

Pneumococcal polyvalent vaccine (PPV), pseudoseptic arthritis after accidental intra-articular deposition of, 864.e1-864.e3

Pneumonia

community acquired, vital-sign abnormalities as predictors of, in adults with acute cough illness, 631-636

eosinophilic, associated with foot injury from sea urchin, 862.e5-862.e6
Pneumonitis, aspiration, and Newton's law of gravitation, 987.e1-987.e2
Pneumoperitoneum, bedside ultrasound in diagnosis of, in critically ill
patients presenting with acute abdominal pain, 838-841

Pneumothorax

acute tension, acute posttraumatic tension gastrothorax mimicking, 734.e5-734.e6

tension, massive hiatal hernia masquerading as, 226-228

tension, mimicking tension viscerothorax, 219-221

Poisoning

with carbon monoxide, recurrent myelin basic protein elevation in cerebrospinal fluid as a predictive marker of delayed encephalopathy after (letter), 483-485

with CBZ, MDAC in (letter), 378, 485

with cyanide, by ingestion or inhalation, hydroxocobalamin for severe acute, 551-558

ECG abnormalities associated with, 672-687

venlafaxine, acute heart failure associated with, 210-211

Pontine hemorrhage, and isolated abducens nerve palsy, 104-105

Popliteal artery, laceration of, and compartment syndrome from stingray envenomation, 96-97

Posterior fossa, acute epidural hematoma of, 989-995

Posterior knee, an irreducible case dislocation of, 240-242

Potassium efflux blockers, poisoning, ECG abnormalities associated with, 672-687 Potentially inappropriate medication (PIMs), prevalence in older ED population based on Beers criteria, 804-807

Pregnancy, ectopic

bedside transvaginal ultrasonography in the ED for diagnosis and management of, 591-596

presenting as rectal pain, 221-222

Pregnancy, hydronephrosis during (letter), 482-483

Pregnancy trimester, second, ectopic ovarian in, 1085.e3-1085.e4 Prehospital care

analgesia in

Baihui and Hegu acupressure points in patients with radial fractures, 887-893

intranasal fentanyl versus intravenous morphine, 911-917

for isolated extreme injuries, men *versus* women on receiving, 901-906

fentanyl in prehospital setting, 842-843

ketamine use for, 977-980

noninvasive bilevel positive airway pressure support in a 101-year-old patient with severe cardiogenic pulmonary edema (letter), 586-588

qualitative *versus* quantitative cardiac marker assay in prehospital evaluation of non-ST-segment elevation ACS (letter), 588-589 use of analgesics in children with extremity injuries, 400-405

Primary care, for Medicaid beneficiaries and uninsured, changes in access to (erratum), 857

Procainamide, intravenous, for broad complex atrial fibrillation, 459-463 Proteinuria, presentation of acute renal infarction in ED, 164-169

Pseudoaneurysm, traumatic of the ICA, cause of life-threatening epistaxis, 116-118 inferior gluteal artery, 488.e1-488.e3

Pseudoseptic arthritis, after accidental intra-articular deposition of PPV, 864.e1-864.e3

Psychotropic drug, overdose, correlation of factors on arrival with duration of unconsciousness induced by, 757-761

Pulmonary artery, renal, splenic, and hepatic artery involvement in paradoxical embolism, 737.e1-737.e3

Pulmonary edema

cardiogenic, prehospital noninvasive bilevel positive airway pressure support in a 101-year-old patient with (letter), 586-588

massive, masquerading as pulmonary edema, 1086.e1-1086.e2 and respiratory failure, associated with clenbuterol exposure, 735.e1-735.e3

right upper lobe, as consequence of mitral regurgitation, 196-197 unilateral, related to end-stage renal disease (letter), 129-131 Pulmonary embolism (PE)

acute, elevated cardiac troponin I for prediction of complicated clinical course and in-hospital mortality in patients with, 138-143

acute massive, right ventricular endocardial tumor mimicking, 863.e3-863.e5

interrater reliability of risk assessment using screening tools for, 285-290 SAH and ACS differences in the risk tolerance for disease exclusion according to published guidelines, 540-544

sensitivity and specificity of VIDAS D-dimer test for diagnosis of, 464-471

value of IMA in diagnosis of, 770-773

Pulse oximetry plethysmographic waveform amplitude, passive leg raising in spontaneously breathing volunteers induce variations in, 637-642

Pulsus paradoxus, manually determined, association with ${\rm FEV}_1$ in persons with asthma requiring hospital admissions, 425-429

Purple urine bag syndrome (PUBS), in a dead-on-arrival patient in the ED, 861.e5-861.e6

Pyogenic ventriculitis, cerebral, due to infective endocarditis, a rare ED diagnosis, 120-122

Pyometra, gas-forming, early diagnosis of, in an aged patient in ED (letter), 126-127

Pyopneumothorax, tension, in a tracheostomized child, 200-201

Quality of care, and sex, in ED patients, with MI, 996-1003

Radial head subluxation, in adult female, 222-223

Radiography

for cervical spine fracture detection, application of clinical criteria in ordering of, 326-330

chest, clinician versus statistical models for prediction of chest injuries diagnosed by, 823-830

diagnosis, of patients who received imaging for venous thromboembolism despite negative tests for, 1040-1046

Radiology

self-referral, frequency and potential cost of, in abdominal CT scans, 396-399

Rapid admission policy (RAP), effects on ED length of stay and time spent on ambulance diversion, 559-563

Rapid-sequence intubation (RSI), prevention of awakening signs after, 529-534

Recombinant activated factor VII, use in Jehovah's Witness patient, 1085.e1-1085.e2

Recombinant human activated protein C (rhAPC), for sepsis in the 21st century, 564-571

Rectal pain, ectopic pregnancy presenting as, 221-222

Refractory shock, due to acute meningococcemia, intra-aortic balloon counterpulsation in, 253-254

Regional air transport, lack of correlation in welfare check distribution and transport patterns in rural critical care transport service, 345-347

Renal artery, pulmonary, splenic, and hepatic artery involvement in paradoxical embolism, 737.e1-737.e3

Renal infarction

acute

misleading migratory pain in, 237-239 presentations in ED, 164-169

Reperfusion therapy, in the emergency treatment of STEMI, strategies for, 353-366

Rescue therapy, continuous low-dose infusion of terlipressin as, in meningococcal septic shock, 863.e1-863.e2

Residents, in radiology, discrepancies in interpretation of ED body computed tomographic scans by, 45-48

Resource allocation, in the ED, identifying high-risk patients for, 794-798

Respiratory failure, and pulmonary edema, associated with clenbuterol exposure, 735.e1-735.e3

Resuscitation

by age group, characteristics of, 1025-1031

successful, rhabdomyolysis after, of a patient with near-fatal asthma, 736.e3-736.e4

Retrobulbar block, ED treatment of brainstem anesthesia after, 105-106 Retrobulbar hemorrhage, resulting from syncopal seizures after a dental extraction, 228-230

Rewarming, metabolism study in an 88-year-old woman with severe hypothermia during, 986.e1-986.e3

Rhabdomyolysis

due to near-drowning in cold seawater, Technetium Tc 99m methylene diphosphonate bone scintigraphy of (letter), 848-850

in a patient with imidacloprid poisoning (letter), 844-845

after successful resuscitation of a patient with near-fatal asthma, 736.e3-736.e4

Right atrium, of elderly with mobile thrombus, transthoracic echocardiograph on visualization of anticoagulant therapy efficiency for, 983.e3-983.e4

Right ventricle, isolated infarction of, bedside echocardiography for detection of, as a cause of cardiovascular collapse, 110-114

Right ventricular endocardial tumor, mimicking acute massive PE, 863.e3-863.e5

Ring, entrapped, Penrose drain for removal of, from a finger under emergent conditions (letter), 722-723 Risk assessment

for ACS associated with atrial fibrillation among ED patients with chest pain syndrome, 523-528

using screening tools for PE, interrater reliability in, 285-290 Risk factors

associated with MRSA in patients admitted to ED, 880-886

identification among unselected patients with possible ACS at low or high mortality risk, 23-31

for venous thromboembolism in patients with nonsurgical isolated lower limb injuries, 502-508

Risk prediction score, for identification of silent myocardial ischemia in patients with coronary artery disease under aspirin therapy presenting with upper gastrointestinal hemorrhage, 406-413

Risk scoring system, to predict need for clinical intervention in patients with acute nonvariceal upper gastrointestinal bleeding, 774-779

Risk stratification, of patients with headache, concordance of historical questions for, 907-910

Risk tolerance, for ACS SAH and PE disease exclusion according to published guidelines, differences in, 540-544

Rupture, splenic, spontaneous, associated with *Listeria* endocarditis, 1086.e3-1086.e5

Rural health services, critical care transport service, lack of correlation in welfare check distribution and transport patterns in, 345-347

Saphenous vein graft aneurysm, leaking coronary, cardiac tamponade caused by, 858.e1-858.e2

Scintigraphy, bone. see Bone scintigraphy

Sclerotherapy, endoscopic injection, for gastric variceal bleeding, diaphragmatic embolism after, 860.e5-860.e6

Scorpions

envenomation, clinical score predicting the need for hospitalization in, 414-419

envenomation, clinical score predicting the need for hospitalization in (letter), 856

Screening, for depression, effect on the care of older ED patients, 133-137 Screening tools, for PE, interrater reliability in risk assessment using,

Season, effect on patterns of incidence of gastroenteritis disease in the ED, 535-539

Sea urchin, eosinophilic pneumonia associated with foot injury from, 862.e5-862.e6

Seawater, cold, Technetium Tc 99m methylene diphosphonate bone scintigraphy of rhabdomyolysis due to near-drowning in (letter),

Sedation

and agitation, association of level of awareness and blood alcohol concentration with both, in intoxicated patients in the ED, 743-748

procedural, and pain management in the ED, ketamine and opioids for (letter), 725-726

service staffed by PEM physicians for children during imaging, 654-661 Sedation scales, 2 clinical, assessment of association with bispectral index, 918,924

Seizure

induced by intoxication after accidental consumption of eperisone hydrochloride, infantile case of (letter), 481-482

syncopal, resulting to retrobulbar hemorrhage after a dental extraction, 228-230

Sensitivity and specificity

of synovial fluid WBC count in diagnosis of septic arthritis, 749-752 of VIDAS D-dimer test, for diagnosis of DVT and PE, 464-471 Sepsis

effect of statins on short-term survival in an oriental population with, 494-501

21st century definitions and therapeutic advances for, 564-571

in type 2 diabetes mellitus, Takotsubo cardiomyopathy associated with, 230-232

Septic arthritis, sensitivity of synovial fluid WBC count in diagnosis of, 749-752

Septic shock, meningococcal, continuous low-dose infusion of terlipressin as rescue therapy in, 863.e1-863.e2

Sex factors

and quality of ED care, in patients with MI, 996-1003

of screener, effect on IPV screening, 1047-1050

Shaken baby syndrome, versus inflicted brain injury (letter), 1080 Shock

persistent, associated with MI after endoscopy for upper gastrointestinal bleeding in high-risk patients, 49-52

refractory, due to acute meningococcemia, intra-aortic balloon counterpulsation in, 253-254

Short-stay unit, in ED, as an effective alternative to in-hospital admission for acute COPD exacerbation (letter), 486-487

Shoulder dislocation

bilateral anterior, in a young and healthy man without obvious cause, 734.e1-734.e3

Spaso technique for (letter), 590

Shoulder trauma, blunt, axillary artery dissection due to, 242-243

Silent myocardial ischemia. see Myocardial ischemia, silent

Snakebite, tongue viability after, 1083.e5-1083.e7

Socioeconomic factors, effect on administration of prehospital analgesia for isolated extreme injuries, 901-906

Sodium bicarbonate, effect on outcome of prehospital cardiac arrest (letter), 589

Sodium channel blockers, poisoning, ECG abnormalities associated with, 672-687

Sodium-potassium adenosine triphosphate blockers, poisoning, ECG abnormalities associated with, 672-687

Software, for ECG interpretation, ECG sign of severe hyperkalemia, double counting of heart rate by (letter), 584-586

Spaso technique, for shoulder dislocation (letter), 590

Spinal epidural hematoma, delayed traumatic thoracic, after compression fracture, 69-71

Spine, visual and tactile inspection of, for prediction of difficult or traumatic lumbar puncture, 608-611

Splenic artery

aneurysms, encountered in ED, 430-436

pulmonary, renal, and hepatic artery involvement in paradoxical embolism, 737.e1-737.e3

Splenic rupture, spontaneous

associated with Listeria endocarditis, 1086.e3-1086.e5

from pegfilgrastim to prevent neutropenia in a patient with non-small-cell lung carcinoma, 247-248

Spontaneous subarachnoid hemorrhage, after intravenous epinephrine use for multiple bee stings, 249-250

Staphylococcus aureus

fulminant fatal toxic shock syndrome with, 225-226

methicillin-resistant, in patients admitted to ED, risk factors associated with, 880-886

Statins, effect on short-term survival in an oriental population with sepsis, 494-501

Statistical model

versus clinician, for prediction of chest injuries diagnosed by chest radiograph, 823-830

for identification of low- and high-risk patients among unselected patients with possible ACS, 23-31

Status asthmaticus, bilevel positive airway pressure and β-2 agonist in the treatment of pediatric patients with, 6-9

Steroids, in cardiac arrest (editorial), 376-377

Stewart's strong ion difference, as predictor of major injury after trauma in ED, 938-941

Stingray, envenomation, popliteal artery laceration and compartment syndrome from, 96-97

Streptococcal meningitis, fatal afebrile, in a chronic alcoholic patient,

Stress testing, negative, impact on emergency physician disposition decision in ED patients with chest pain syndrome, 39-44

Stroke

acute, prevalence of elevated blood pressure in adults with, presenting to the ED in the US, 32-38

massive, in a previously healthy 7-year-old, 985.e3-985.e5

prevention of, antithrombotic therapy in clinical practice in the ED for, 1-5

subcortical, presenting as micrographia, 89-90

ST-segment elevation myocardial infarction (STEMI)

acute, effect of thrombolytic therapy versus primary PCI on outcome of patients after VF cardiac arrest due to, 545-550

effect of body position, supine versus semirecumbent versus upright, on interpretation of 12-lead ECG for, 753-756

reperfusion strategies in the emergency treatment of, 353-366 Takotsubo cardiomyopathy mimicking, 92-95

Subarachnoid hemorrhage

concordance of historical questions for risk stratifying patients with, 907-910

nontraumatic, influence of circadian rhythms on onset and outcomes of (letter), 728-730

PE and ACS differences in the risk tolerance for disease exclusion according to published guidelines, 540-544

spontaneous, after intravenous epinephrine use for multiple bee stings, 249-250

Substance abuse, naphazoline, ischemic stroke in an man with, 983.e1-983.e2

Succinylcholine, masseter muscle rigidity induced by, associated with rapid sequence intubation, 102-104

Sumatriptan, for the treatment of undifferentiated primary headaches in the ED, 60-64

Superior mesenteric artery syndrome, ultrasonography diagnosis in the ED, 864.e5-864.e6

Supraclavicular blocks, ultrasound-guided, for upper extremity fractures, dislocations and abscesses in the ED, 472-475

Surge capacity, a proposed conceptual framework for, 297-306

Surgical emergency, for patient diagnosed with gastric volvulus, 213-215 Survival

rates of, improved by epinephrine in an adult rabbit model of asphyxia cardiac arrest, 509-514

short-term, in an oriental population with sepsis, effect of statins on, 494-501

Swedish Cardiac Arrest Registry, analysis of characteristics of cardiac arrest and resuscitation by age group, 1025-1031

Syncope, 12-lead ECG in patient with, 688-701

Synovial fluid, WBC count of, sensitivity in diagnosis of septic arthritis, 749-752

Tachycardia, ventricular, verapamil for, 572-575

Tactile inspection, of the spine for prediction of difficult or traumatic lumbar puncture, 608-611

Takotsubo cardiomyopathy

associated with sepsis in type 2 diabetes mellitus, 230-232 diagnosis and treatment in ED patient, 202-207

mimicking an ST-elevation myocardial infarction, 92-95

Takotsubo dysfunction, stress-induced cardiomyopathy, 243-244

TASER dart, intracranial penetration of, 733.e3-733.e4

Tau protein, role in diagnosis of intracranial injury in minor head trauma, 391-395

Technetium Tc 99m methylene diphosphonate, bone scintigraphy with, of rhabdomyolysis after near-drowning in cold seawater (letter), 848-850

Temperature, of body, low, accuracy of PiCCO monitoring in (letter), 845-846

Tension pneumothorax

massive hiatal hernia masquerading as, 226-228 mimicking tension viscerothorax, 219-221

Tension pyopneumothorax

in a tracheostomized child, 200-201

Tension viscerothorax, mimicking tension pneumothorax, 219-221

Terlipressin, continuous low-dose infusion of, as rescue therapy in meningococcal septic shock, 863.e1-863.e2

Terrorism syndromes, EM physicians on identification of, 1019-1024
Tertiary care center, management of toxic alcohol ingestion after the introduction of fomepizole at, 799-803

Testicular infarction, idiopathic, masquerading as urolithiasis and epididymitis, 736.e1-736.e2

Thalamus, bilateral, involvement and normal imaging of early stage of the unusual presentation of HSE, 87-89

Therapeutic hypothermia, and cardiac defibrillation (editorial), 479-480 Therapy, for DVT, considerations in, 860.e1-860.e4

Thiamine, for the treatment of acute decompensated heart failure (letter), 124-126

Thromboembolism, venous, radiologic diagnoses of patients who received imaging despite negative D-dimer tests for, 1040-1046

Thrombolytic therapy, versus primary PCI, effect on outcome of patients after VF cardiac arrest due to acute STEMI, 545-550

Thrombosis

dural sinus

isolated headache as sole manifestation of, 218-219

isolated headache as sole manifestation of (letter), 982

mobile, in right atrium of elderly, transthoracic echocardiograph on visualization of anticoagulant therapy efficiency for, 983.e3-983.e4

prevalence of heparin-PF4 antibodies in patients presenting to the ED with, 279-284

Thyroid storm, precipitated by organophosphate intoxication, 861.e1-861.e3
Thyrotoxicosis, unrecognized, acute right ventricular dysfunction after cardioversion or hyperthyroid cardiomyopathy in (letter), 723-724

TIMI risk score, application in ED patients with cocaine-associated chest pain, 1015-1018

Titanium alloy, ring crush injury, 1084.e3-1084.e5

Toddler. see Pediatrics

Tongue, viability, after snakebite, 1083.e5-1083.e7

Topical anesthesia, sequential layered application of topical lidocaine with epinephrine for larger wound management, 379-384

Toxicity, anticholinergic, from lupini beans ingestion, 215-217

Toxic shock syndrome, fulminant fatal, with Staphylococcus aureus, 225-226

Transection, complete, of common iliac artery, fatal complication of blunt abdominal injury, 251-253

Transorbital ventricular decompression, in acutely decompensated hydrocephalic ED patient, 208-210

Transport patterns, lack of correlation in welfare check distribution and, in rural critical care transport service, 345-347

Transthoracic defibrillation

safety and effectiveness of, during wet-surface cooling, 420-424 and therapeutic hypothermia in wet conditions (editorial), 479-480

Transvaginal ultrasonography, bedside, for diagnosis and management of ectopic pregnancy in the ED, 591-596

Trauma

annotated bibliography of recent literature—2006, 708-721 blunt

abdominal, complete transection of common iliac artery, fatal complication of, 251-253

abdominal, isolated jejunal perforation after, 862.e1-862.e4

chest, extensive anterolateral MI caused by left main coronary artery dissection after, 858.e3-858.e5

neck, laryngotracheal disruption after, 1084.e1-1084.e2

shoulder, axillary artery dissection due to, 242-243

whole-body multislice CT as primary and sole diagnostic tool for, 1057-1062

in ED, Stewart's strong ion difference as predictor of major injury after, 938-941

Trauma (continued)

- inferior gluteal artery pseudoaneurysm due to, 488.e1–488.e3 minor blunt, isolated adrenal hemorrhage after, 984.e5-984.e6 penetrating, intracranial, of TASER dart, 733.e3-733.e4
- Triage, in the ED, identifying high-risk patients for, 794-798
- Triage flowchart, to rule out ACS, 865-872
- Triage pain protocol, effectiveness in improving frequency and time to delivery of analgesia for painful musculoskeletal injuries in the ED, 791-793

Troponin I

- cardiac, elevated, for prediction of complicated clinical course and in-hospital mortality in patients with acute PE, 138-143
- concentration measured at admission, prognostic implications in ACS, 65-68
- Tuberculosis pericarditis, atrial flutter with cardiac tamponade as initial presentation of, 108-110
- T wave inversion, due to cardiac memory phenomenon after conversion from atrial flutter to sinus rhythm, 831-833

Ultrasonography

- ability of emergency physicians to obtain ultrasound images of landmarks relevant to lumbar puncture, 291-296
- ability to identify pertinent landmarks for lumbar puncture, 331-334 bedside, in diagnosis of pneumoperitoneum in critically ill patients
- presenting with acute abdominal pain, 838-841 bedside transvaginal, for diagnosis and management of ectopic pregnancy in the ED, 591-596
- diagnosis of superior mesenteric artery syndrome in the ED, 864.e5-864.e6 for early diagnosis of gas-forming pyometra in an aged patient in ED (letter), 126-127
- hip arthrocentesis in the ED, 80-86

lung

- bedside, in diagnosis of AIS (letter), 724-725
- comet-tail artifact sign at (letter), 981-982
- renal, for hydronephrosis during pregnancy (letter), 482-483
- supraclavicular block for upper extremity fractures, dislocations and abscesses in the ED, 472-475
- Unconsciousness, induced by psychotropic drug overdose, correlation of factors on arrival with duration of, 757-761
- Upright, versus semirecumbent versus supine, effect of body position on interpretation of 12-lead ECG for ischemia and STEMI, 753-756
- Urine culture, positive, and hyperbilirubinemia, 10-14
- Urine nitrite test, positive, and hyperbilirubinemia, 10-14
- Urolithiasis, idiopathic testicular infarction masquerading as, 736.e1-736.e2

Vaccination

- influenza, of health care workers in the ED, association between sickness absenteeism and. 808-811
- medication error in, 199-200
- Venlafaxine, poisoning, acute heart failure associated with, 210-211
- Venous oximetry, in diagnosis and management of fulminant myocarditis, 122-123

Venous thromboembolic disease

in the elderly, role of D-dimer enzyme linked immunosorbent assay in diagnosis of (letter), 727-728

- Venous thromboembolic disease (continued)
 - patient-related factors
 - in the use of referent D-dimer enzyme linked immunosorbent assay for exclusion of, in the ED (letter), 255-256
 - in the use of referent D-dimer enzyme linked immunosorbent assay for exclusion of (letter), 485-486
- Venous thromboembolism, in patients with nonsurgical isolated lower limb injuries, incidence and risk factors for, 502-508
- Ventricular dysfunction, acute right, after cardioversion or hyperthyroid cardiomyopathy in an unrecognized thyrotoxicosis patient (letter), 723-724

Ventricular fibrillation (VF)

- cardiac arrest due to acute STEMI, effect of thrombolytic therapy versus primary PCI on outcome of patients after, 545-550
- transesophageal AC stimulation for induction of, in rats, 623-630
- Ventricular pseudofusion, acute myocardial infarction in the setting of an apparent pacemaker anomaly, 248-249
- Ventricular tachycardia (VT), verapamil for, 572-575
- Ventriculitis, cerebral pyogenic, due to infective endocarditis, a rare ED diagnosis, 120-122
- Ventriculoperitoneal (VP) shunts, Lodox Statscan for visualization of (erratum), 1081
- Verapamil, for ventricular tachycardia, 572-575
- VIDAS D-dimer test, sensitivity and specificity for diagnosis of DVT and PE, 464-471
- Viscerothorax, tension, mimicking tension pneumothorax, 219-221
- Visual inspection, of the spine for prediction of difficult or traumatic lumbar puncture, 608-611

Vital signs

- abnormalities, as predictors of pneumonia in adults with acute cough illness, 631-636
- association with FEV₁ in persons with asthma requiring hospital admissions, 425-429
- Vitamin B12 deficiency, and neurologic disease, 987.e3-987.e4

rural critical care transport service, 345-347

- Water-circulating cooling device, for induction of mild hypothermia after cardiac arrest (letter), 730-732
- Weight, adult, accuracy of estimation performed by ED personnel, 307-312 Welfare check distribution, lack of correlation in transport patterns and, in
- White blood cell (WBC) count, of synovial fluid, sensitivity in diagnosis of septic arthritis, 749-752
- Wolff-Parkinson-White (WPW) syndrome
 - atrial fibrillation in, ECG recognition and treatment in the ED of, 576-583
 - broad complex atrial fibrillation in, 459-463
 - 12-lead ECG in, 688-701
- Wood, giant foreign body, detection with multidetector CT and multiplanar reconstruction imaging, 211-213
- Wounds and injuries. see also specific type or site
 - local burn, management in ED, 666-671
 - loupe magnification versus naked eye for visualization of, in ED, 704-707
- Young man, severe explosive headache as sole presentation of acute myocardial infarction in, 250-251

